

CoCoALib - Design #1098

Ctors for exceptions/errors

06 Sep 2017 15:27 - John Abbott

| | | | |
|---|--------------|------------------------|--------------------|
| Status: | New | Start date: | 06 Sep 2017 |
| Priority: | Normal | Due date: | |
| Assignee: | | % Done: | 0% |
| Category: | Tidying | Estimated time: | 0.00 hour |
| Target version: | CoCoALib-1.0 | Spent time: | 0.00 hour |
| Description Currently the ctors for exceptions and errors use a curious mixture of std::string and const char* const args. Can this be tidied up (without incurring a run-time penalty)? | | | |
| Related issues: Related to CoCoALib - Feature #385: Design new errors using inheritance Related to CoCoALib - Design #427: Error names and error messages (current de... Related to CoCoALib - Feature #743: Better errors: give supplementary info ab... | | | |
| | | In Progress | 08 Jul 2013 |
| | | In Progress | 28 Jan 2014 |
| | | In Progress | 30 Jun 2015 |

History

- #1 - 06 Sep 2017 15:27 - John Abbott**
- Related to Feature #385: Design new errors using inheritance added
- #2 - 23 May 2019 10:53 - John Abbott**
- Related to Design #427: Error names and error messages (current design) added
- #3 - 15 Mar 2024 18:31 - John Abbott**
- Related to Feature #743: Better errors: give supplementary info about the error added