

## CoCoALib - Feature #1254

### New function: MinPoly for pseudo-zero-dimensional ideals

06 Mar 2019 15:10 - Anna Maria Bigatti

<b>Status:</b>	New	<b>Start date:</b>	06 Mar 2019
<b>Priority:</b>	Normal	<b>Due date:</b>	
<b>Assignee:</b>	Anna Maria Bigatti	<b>% Done:</b>	0%
<b>Category:</b>	New Function	<b>Estimated time:</b>	0.00 hour
<b>Target version:</b>	CoCoALib-0.99880	<b>Spent time:</b>	0.20 hour
<b>Description</b>			
For min polys it might be possible to work with a sub-ideal in a subring. For example,			
<pre>use QQ[x,y,z,t]; I := ideal(x^2-2, y^3-3, z^5-5); f := x+y; MinPolyQuot(f, I, x);</pre>			
In the call to MinPolyQuot we could work in the subring $QQ[x,y]$ with the ideal $I_2 := ideal(x^2-2, y^3-3)$ .			
One way to do this would be to build a graph: for each indet there is a node, and there is an edge between two "indets" if they both appear in some generator of $I$ (or if we have a reduced GBasis, then we use the GBasis elements instead of the gens). The "active" indets are then those in the connected component of the graph corresponding to the indets in the polynomial $f$ . In the above example we see that only $x$ and $y$ are "active": so we can work with only those gens which involve just $x$ and/or $y$ , and ignore all the other gens.			
Mathematically we could also work with an elimination ideal, but computing it might be too costly... but perhaps the elim ideal is trivial in the case that the graph described above is conveniently disconnected.			
<b>Related issues:</b>			
Related to CoCoALib - Feature #1103: Pseudo-zero-dim ideals		<b>In Progress</b>	<b>19 Sep 2017</b>

#### History

##### #1 - 06 Mar 2019 15:10 - Anna Maria Bigatti

- Related to Feature #1103: Pseudo-zero-dim ideals added

##### #2 - 09 Jan 2020 13:15 - John Abbott

- Target version changed from CoCoALib-0.99700 to CoCoALib-0.99800

##### #3 - 05 Nov 2021 16:05 - John Abbott

- Assignee set to Anna Maria Bigatti

Anna will try do this; perhaps this is a helpful prototype for issue [#1103](#).

A very simple approach here would be to add the unused indets as new generators then apply standard 0-dim method.

A smarter approach might map to a new ring with the right number of indets, and then map the result back.

##### #4 - 28 Jan 2022 13:06 - John Abbott

- Target version changed from CoCoALib-0.99800 to CoCoALib-0.99850

**#5 - 07 Mar 2024 20:25 - John Abbott**

- Target version changed from CoCoALib-0.99850 to CoCoALib-0.99880