

## CoCoA-5 - Feature #128

### wordlist.txt generation

05 Apr 2012 15:36 - Anna Maria Bigatti

<b>Status:</b>	Closed	<b>Start date:</b>	05 Apr 2012
<b>Priority:</b>	Normal	<b>Due date:</b>	
<b>Assignee:</b>	Anna Maria Bigatti	<b>% Done:</b>	100%
<b>Category:</b>	EmacsUI	<b>Estimated time:</b>	3.00 hours
<b>Target version:</b>	CoCoA-5.0.3	<b>Spent time:</b>	3.00 hours
<b>Description</b> Autocompletion depends on the file wordlist.txt Right now we are still using the cocoa-4 wordlist (because we cannot reuse the code for generating it). Design a way and implement it.			

### History

---

#### #1 - 31 May 2012 18:08 - Anna Maria Bigatti

- Category set to EmacsUI

- Assignee set to Anna Maria Bigatti

#### #2 - 04 Jun 2012 11:17 - Anna Maria Bigatti

- % Done changed from 0 to 50

#### #3 - 07 Jun 2012 18:31 - Anna Maria Bigatti

- Status changed from New to Closed

- % Done changed from 50 to 100

In adding the target to the makefile I cleaned up the manual related targets.  
I'm not sure if I did it 100% right (i.e. deleted enough files) for the **clean** and **veryclean** targets.