

## CoCoA-5 - Design #1551

### Emacs: avoid making buffer visible in 2 "windows"?

13 Dec 2020 11:06 - John Abbott

<b>Status:</b>	New	<b>Start date:</b>	13 Dec 2020
<b>Priority:</b>	Low	<b>Due date:</b>	
<b>Assignee:</b>		<b>% Done:</b>	0%
<b>Category:</b>	EmacsUI	<b>Estimated time:</b>	0.00 hour
<b>Target version:</b>	CoCoA-5.4.2	<b>Spent time:</b>	0.25 hour
<b>Description</b>			
In Emacs if I type M-x cocoa5 RET it changes the current "window"(?) to show *cocoa5* buffer even if this buffer is already visible in another "window" in the same frame.			
Suggest changing it so that it switches to the already-visible "window" (rather than having 2 "windows" showing the *cocoa5* buffer).			
<b>Related issues:</b>			
Related to CoCoA-5 - Design #1432: Emacs UI: cocoa5-shell-check-process vs. p...		<b>New</b>	<b>03 Mar 2020</b>

#### History

##### #1 - 13 Dec 2020 11:07 - John Abbott

- Priority changed from Normal to Low

After a quick search I found the following useful link:

<https://emacs.stackexchange.com/questions/2959/how-to-know-my-buffers-visible-focused-status>

##### #2 - 13 Dec 2020 11:08 - John Abbott

- Related to Design #1432: Emacs UI: cocoa5-shell-check-process vs. process-status added

##### #3 - 19 Apr 2021 14:11 - John Abbott

- Target version changed from CoCoA-5.4.0 to CoCoA-5.4.2