

## CoCoA-5 - Feature #20

### How to get the compilation flags of CoCoA-5?

04 Nov 2011 12:12 - Anna Maria Bigatti

<b>Status:</b>	Closed	<b>Start date:</b>	04 Nov 2011
<b>Priority:</b>	High	<b>Due date:</b>	
<b>Assignee:</b>	Anna Maria Bigatti	<b>% Done:</b>	100%
<b>Category:</b>	CoCoA-5 function: new	<b>Estimated time:</b>	0.00 hour
<b>Target version:</b>	CoCoA-5.1.1 Seoul14	<b>Spent time:</b>	0.25 hour
<b>Description</b>			
something like BuildInfo from CoCoALib			
<b>Related issues:</b>			
Related to CoCoA-5 - Feature #250: CoCoALib BuildInfo vs CoCoA-5 VersionInfo		<b>Closed</b>	<b>02 Oct 2012</b>
Related to CoCoA-5 - Feature #19: How to get the version number of CoCoA-5?		<b>Closed</b>	<b>04 Nov 2011</b>

### History

#### #1 - 08 Nov 2011 15:35 - Anna Maria Bigatti

- Category set to CoCoA-5 function: new

#### #2 - 02 Apr 2014 17:33 - Anna Maria Bigatti

- Target version set to CoCoA-5.1.0 Easter14

#### #3 - 09 Apr 2014 14:48 - John Abbott

- Target version changed from CoCoA-5.1.0 Easter14 to CoCoA-5.1.1 Seoul14

#### #4 - 28 Jul 2014 17:44 - Anna Maria Bigatti

- Status changed from New to Closed

- Assignee set to Anna Maria Bigatti

- % Done changed from 0 to 100

Compilations flags are given by VersionInfo()