

CoCoALib - Feature #255

Use BOOST lib default location if possible

08 Oct 2012 16:32 - John Abbott

Status:	Closed	Start date:	08 Oct 2012
Priority:	Normal	Due date:	
Assignee:	John Abbott	% Done:	100%
Category:	Portability	Estimated time:	0.24 hour
Target version:	CoCoALib-0.99560	Spent time:	0.25 hour
Description			
As we did for GMP (see #247)			
Related issues:			
Related to CoCoA - Feature #247: Use gmp default location if possible		Closed	17 Sep 2012
Related to CoCoA-5 - Bug #217: Makedependencies of CoCoA-5 fails if BOOST is ...		Closed	02 Aug 2012

History

#1 - 28 Apr 2017 11:17 - Anna Maria Bigatti

- Project changed from CoCoA to CoCoALib
- Category set to Portability
- Assignee set to John Abbott
- Target version set to CoCoALib-0.99560

This issue was under "CoCoA" instead of "CoCoALib".
I'm recovering these old and forgotten issues, so we reconsider them.

#2 - 06 Nov 2017 15:49 - John Abbott

- Status changed from New to Closed
- % Done changed from 0 to 100
- Estimated time set to 0.24 h

JAA thinks this has already been resolved adequately in the intervening 5 years.
Closing.