

CoCoALib - Support #288

DynamicBitset example using LPP

14 Dec 2012 18:20 - John Abbott

Status:	Closed	Start date:	14 Dec 2012
Priority:	Normal	Due date:	
Assignee:	Anna Maria Bigatti	% Done:	100%
Category:	Documentation	Estimated time:	1.00 hour
Target version:	CoCoALib-0.99533 Easter14	Spent time:	1.00 hour
Description			
Add documentation to show how to create a DynamicBitset from a polynomial (which happens to be a monomial). All you have to do is call LPP , but this is not obvious to a novice (Oscar).			

History

#1 - 28 Jan 2013 08:05 - Anna Maria Bigatti

- Category set to Documentation

#2 - 01 Apr 2014 17:41 - Anna Maria Bigatti

- Target version set to CoCoALib-0.99533 Easter14

#3 - 09 Apr 2014 16:14 - Anna Maria Bigatti

- Status changed from New to Feedback

- Assignee set to Anna Maria Bigatti

- % Done changed from 0 to 90

- Estimated time set to 1.00 h

added **ex-DynamicBiteset2.C**

#4 - 17 Apr 2014 15:23 - Anna Maria Bigatti

- Status changed from Feedback to Closed

- % Done changed from 90 to 100