

CoCoA-5 - Feature #512

Resurrect MakeCheck()

02 Apr 2014 17:13 - Anna Maria Bigatti

Status:	New	Start date:	02 Apr 2014
Priority:	Normal	Due date:	
Assignee:	Anna Maria Bigatti	% Done:	0%
Category:	CoCoA-4 function to be added	Estimated time:	1.00 hour
Target version:	CoCoA-5.?.?	Spent time:	0.25 hour
Description			
Tests for CoCoA-5 are run automatically by make . It would be nice to have at least a partial set of test in the CoCoA-5 distribution to be run by users.			

History

#1 - 07 Apr 2014 18:07 - John Abbott

- Target version changed from CoCoA-5.1.0 Easter14 to CoCoA-5.1.1 Seoul14

#2 - 22 Jul 2014 09:40 - Anna Maria Bigatti

It should be easy enough to implement if we can get the path of the tests.

This works for me (as an example)

```
/**/ source(CocoaPackagePath()+"../tests/anna.cocoa5");
```

but I would not like to have the tests directory so visible in the distribution (currently it is not distributed)

#3 - 28 Jul 2014 16:20 - Anna Maria Bigatti

- Target version changed from CoCoA-5.1.1 Seoul14 to CoCoA-5.?.?

Undecided, needs more thinking. Not urgent