## CoCoA-5

	2024-4			2024-5			2024-6			2024-7					2024-8				2024-9					
	14 1	5 16	17	18	19	20 2	I 22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39
CoCoA CoCoA-5	Co	CoA-5	-				-		-	-					-	-				-			-	-
unistd and call to access in Main.C ./C5.bin: fork: Resource temporarily () CoCoA-5 - CoCoA-5.2.0 spring 2017 CoCoAManual HTML: page for "Try" Normaliz tests for CoCoA5 ReducedGBasis not memorized in () Use of dollar-dot (\$.) in packages Manual: automatically check all () Release: CoCoA-5.2.0 ExternalLib Normaliz: verbose flag? External Libs: print credits? Primary Decomposition in CoCoA-5: () Primary Decomposition in CoCoA-5.1.6: () Handle interrupts more helpfully Emacs UI: return inside a block () readline: fix script for finding () fix OnlineManual.C so that version () CoCoA-5 manual: IsInteger and IsRational (] Der, Bin: why the capital letter? GBasis of product of ideals is () Easier syntax to make a PRINCIPAL () RingElem applied to a symbol (repr () subst should check that indet is () gin: return/print a suitable change () New function CallOnGroebnerFanldeals: () ReadExpr: decimal point	Clo Clo Clo Clo Clo Clo Clo Clo Clo Clo	CoA-5. sed 10 sed 10 se	00% 00% 00% 00% 00% 00% 00% 00% 00% 00%	spring	g 201	7 100%																		

Ad "exit" in addition "cice" Closed 100%   New function: Stabais (standard () Closed 100%   New function: SymmetricPolys Closed 100%   SEGV: Toric example from Kazuki () Closed 100%   SEGV: Toric example from Kazuki () Closed 100%   LaTeX(x^10) should use curly brackets Closed 100%   Emacs U: sending empty input from () Closed 100%   Emacs U: sending empty input from () Closed 100%   Iteraces : sent interrupt to CocoA Closed 100%   Readline: usors more tworogly () Closed 100%   CocoAManual: entry for SetVerbosityLevelVeros @Pt898(100% Closed 100%   CocoAManual: entry for SetVerbosityLevelVeros @Pt898(100% Closed 100%   CocoAAS: no longer lists the external () Closed 100%   CocoAAS: no longer lists the external () Closed 100%   NewPolyfing with user defined ordering () Closed 100%   CocoAAS: no longer lists the external () Closed 100%   CocoAAS: no longer lists the external () Closed 100%   CocoAAS: no longer lists the external () Closed 100%   CocoAS: Sub Itery of the output () Closed 100%   CocoAS: Sub Itery of thor aturualy () Closed 100%	UniversalGBasis: sometimes gives ()	Closed 100%
New function: StdBasis (standard ()Closed 100%.New function: SymmetricPolysClosed 100%.Manual: XML problem with html docClosed 100%.GroebnerFandeals: verbosity and ()Closed 100%.SEGV: Troic example from Kazuki ()Closed 100%.LaTeX(x*10) should use curly bracketsClosed 100%.LaTeX(x*10) should use curly bracketsClosed 100%.Emacs UI: sending empty input from ()Closed 100%.Emacs UI: sending empty input from ()Closed 100%.Emacs UI: coca5-send-line skips ()Rejected 100%.New function: IsCBBasisASGens [-> ()Rejected 100%.Interpreter: linit range for SetVerbosityLevel/Verbos/RegM(100%.Closed 100%.CocoAManual: entry for SetVerbosityLevel/Verbos/RegM(100%.Closed 100%.CocoAManual: entry for SetVerbosityLevel/Verbos/RegM(100%.Closed 100%.New function: IsCoprimeClosed 100%.New function: IsCoprimeClosed 100%.New function: IsCoprimeClosed 100%.New function: IsCoprimeClosed 100%.NewPolyRing with user defined ordering ()Closed 100%.CoCoAA-5 no longer lists the external ()Closed 100%.CoCoAA-5.0Closed 100%. <t< td=""><td></td><td>Closed 100%</td></t<>		Closed 100%
New function: SymmetricPolys   Closed 100%.     Manual: XML problem with html doc   Closed 100%.     Sted::::::::::::::::::::::::::::::::::::		Closed 100%
Manual: XML problem with hml docClosed 100%New function: multigraded BettNumbersClosed 100%GroebnerFanIdasi: verbosity and ()Closed 100%LaTeX(x10) should use curly bracketsClosed 100%New function: idealOrGBasisClosed 100%Emacs UI: sending empty input from ()Closed 100%Emacs UI: cocca5-send-line skips ()Closed 100%New function: SetGBasisAsGens [-> ()Closed 100%Interpreter: limit range for "" ()Closed 100%Readline: cursor moves wrongly ()Closed 100%CocoAManual: entry to CoCAClosed 100%CocoCAManual: entry to SetVerbosityLevelVerbosity		Closed 100%
New function: multigraded BettiNumbers GroebnerFanideals: verbosity and ()Closed 100%SEOV: Toric example from Kazuki ()Closed 100%LaTeX(x^10) should use curly bracketsClosed 100%New function: idealOfGBasisClosed 100%Emacs UI: sending empty input from ()Closed 100%Emacs UI: cocca6-send-line skips ()Closed 100%New function: SetGBasisAsGens [-> ()Rejected 100%Readline: cursor moves wrongly ()Closed 100%Closed 100%Closed 100%Emacs: sent interrupt to CoCoAClosed 100%Closed 100%Closed 100%CoccoAfmanual: entry for SetVerbosityLevelVerbosityUseVerbo		Closed 100%
GroebnerFanldeals: verbosity and ()Closed 100%SEQV: Toric example from Kazuki ()Closed 100%LaTeX(x^10) should use ourly bracketsClosed 100%New function: IdealOIGBasisClosed 100%Emacs UI: sending empty input from ()Closed 100%Emacs UI: sending empty input from ()Closed 100%Interpreter: limit range for "" ()Rejected 100%Interpreter: limit range for "" ()Closed 100%Readline: cursor moves wrongly ()Closed 100%CocoAAanual: entry for SetVerbosityLevel/Verbos/KV85%[100%Closed 100%New function: SetGnalMatrix ()Closed 100%CocoAAs no longer lists the external ()Closed 100%CocoAAs cocoAs manualClosed 100%GUI: fi	-	Closed 100%
SEGV: Toric example from Kazuki ()Closed 100%LaTeX(X+10) should use curly bracketsClosed 100%New function: IdealOfGBasisClosed 100%Emacs UI: sending empty input from ()Closed 100%Emacs UI: cocoa5-send-line skips ()Closed 100%New function: SetGBasisASGens [-> ()Rejected 100%Interpreter: limit range for "" ()Closed 100%Readline: cursor moves wrongly ()Closed 100%CocoAManual: entry to CoCoAClosed 100%CocoAManual: entry for SetVerbosityLevelVeboshVEW[100%New function: SectionalMatrix, ()Closed 100%CocoAAS no longer lists the external ()Closed 100%CocoAAS no longer lists the external ()Closed 100%CocoAAS - CoCoA-S 3.0Closed 100%GUI: try DEFINES in makefileClosed 100%GUI: try DEFINES in makefileClosed 100%Error message: It was expectingClosed 100%GUI: try DEFINES in makefileClosed 100%Error message: It was expectingClosed 100%CocoA-S GUI; filed build "wrong ()Closed 100%GUI: try DEFINES in makefileClosed 100%Error message: It was expectingClosed 100%Find out how to compile statically ()Closed 100%Find out how to compile statically ()Closed 100% <tr< td=""><td>-</td><td>Closed 100%</td></tr<>	-	Closed 100%
LaTeX(x^10) should use curly bracketsClosed 100%New function: IdealOfGBasisClosed 100%Emacs UI: scotal>send-line skips ()Closed 100%Beadine: cursor moves wrongly ()Closed 100%Readline: cursor moves wrongly ()Closed 100%Emacs UI: scotal>send-line skips ()Rejected 100%Readline: cursor moves wrongly ()Closed 100%Emacs: sent interrupt to CoCoAClosed 100%CocoAManual: entry for SetVerbosityLevel/Verbosity%%%100%Closed 100%New function: IsCoprimeClosed 100%New function: SectionalMatrix, ()Closed 100%Error message from cocoalib to ()Closed 100%CoCoA-5 no longer lists the external ()Closed 100%NewPolyRing with user defined ordering ()Closed 100%CocoA-5 no longer lists the external ()Closed 100%CocoA-5 no longer lists the external ()Closed 100%CocoA-5 no longer lists the external ()Closed 100%Gul: failed build "wrong ()Closed 100%Error message: I was expectingClosed 100%Find out how to compile statically ()Closed 100%Firor message: I was expectingClosed 100%Find out how to compile statically ()Closed 100%Option to "fold" long lines?Closed 100%Closed 100%Closed 100%<		Closed 100%
New function: IdealOfGBasisClosed 100%Emacs UI: sending empty input from ()Closed 100%Emacs UI: cocoa5-send-line skips ()Rejected 100%New function: SetGBasisAsGens [-> ()Rejected 100%Interpreter: limit range for "" ()Closed 100%Emacs: sent Interrupt to CoCoAClosed 100%CocoAManual: entry for SetVerbosityLevelVeebositySevel100%Closed 100%CocoAManual: entry for SetVerbosityLevelVeebositySevel100%Closed 100%New function: IsCoprimeClosed 100%New function: IsCoprimeClosed 100%CocoA-for longer lists the external ()Closed 100%CocoA-for longer lists the external ()Closed 100%CocoA-for CoCoA-for longer lists the external ()Closed 100%CocoA-for CoCoA-for CoCoA-for lists the external ()Closed 100%CocoA-for CoCoA-for longer lists the external ()Closed 100%CocoA-for CoCoA-for CoCoA-for longer lists the external ()Closed 100%CocoA-for LocoA-for manualClosed 100%GUI compilation: GMP is not naturally ()Closed 100%GUI trip DEFINES in makefileClosed 100%Error message: I was expectingClosed 100%Find out how to compile statically ()Closed 100%Find out how to compile statically ()Closed 100%Option to "Idd" long lines?Closed 100%Closed 100%Closed 100%Error message: I was expectingClosed 100%Find out how to compile statically ()Closed 100%Option to "Idd" long lines?Closed		Closed 100%
Emacs UI: sending empty input from ()Closed 100%Emacs UI: cocoa5-send-line skips ()Rejected 100%New function: SetGBasisASGens [-> ()Rejected 100%Interpreter: limit range for "" ()Closed 100%Readline: cursor moves wrongly ()Closed 100%Emacs: sent interrupt to CoCoAClosed 100%CocoAManual: entry for SetVerbosityLevel/VerbostWgstgl 100%Closed 100%CocoAManual: entry for SetVerbosityLevel/VerbostWgstgl 100%Closed 100%New function: IsCoprimeClosed 100%New function: SectionalMatrix, ()Closed 100%CocoA-5 no longer lists the external ()Closed 100%NewPolyRing with user defined ordering ()Closed 100%NewPolyRing with user defined ordering ()Closed 100%CocoA-5 - CoCoA-5.3.0CoCoA-5.3.0 100%Type info in CoCoA-5 manualClosed 100%GUI compilation: GMP is not naturally ()Closed 100%CocoA-5 Gul; failed build "wrong ()Closed 100%GUI: fix DEFINES In makefileClosed 100%Error message: I was expectingClosed 100%Find out how to compile statically ()Closed 100%Closed 100%Closed 100%Closed 100%Closed 100%Error message: I was expectingClosed 100%Find out how to compile statically ()Closed 100%Closed 100%Closed 100%Find out how to compile statically ()Closed 100%Closed 100%Closed 100%Error message: I was expectingClosed 100%Find ou		Closed 100%
Emacs UI: cocoa5-send-line skips ()Closed 100%New function: SetGBasisAsGens [-> ()Rejected 100%Interpreter: limit range for "" ()Closed 100%Readline: cursor moves wrongly ()Closed 100%Emacs: sent interrupt to CoCoAClosed 100%CoCoAManual: entry for SetVerbosityLevel/Verbos/fy286/100%Closed 100%New function: IsCoprimeClosed 100%New function: SectionalMatrix, ()Closed 100%CocoA-5 no longer lists the external ()Closed 100%NewPolyRing with user defined ordering ()Closed 100%NewPolyRing with user defined ordering ()Closed 100%CocoA-5 - CoCoA-5.3.0CoCoA-5.3.0Type info in CoCoA-5 manualClosed 100%GUI: enplitation: GMP is not naturally ()Closed 100%CocoA-5 GUI; failed build "wrong ()Closed 100%GUI: fix DEFINES in makefileClosed 100%Error message: I was expectingClosed 100%Find out how to compile statically ()Closed 100%Option to "fold" long lines?Closed 100%Closed 100%Closed 100%Error message: I was expectingClosed 100%Find out how to compile statically ()Closed 100%Option to "fold" long lines?Closed 100%Closed 100%		Closed 100%
New function: SetGBasisAsGens [-> ()Rejected 100%Interpreter: limit range for "" ()Closed 100%Readline: cursor moves wrongly ()Closed 100%Emacs: sent interrupt to CoCoAClosed 100%CoCoAManual: entry for SetVerbosityLevel/VerbosityLe		Closed 100%
Interpreter: limit range for "" ()Closed 100%Readline: cursor moves wrongly ()Closed 100%Emacs: sent interrupt to CoCoAClosed 100%CoCoAManual: entry for SetVerbosityLevel/Verbosit%2%3(100%Closed 100%New function: IsCoprimeClosed 100%New function: SectionalMatrix, ()Closed 100%Error message from cocoalib to ()Closed 100%CoCoA-5 no longer lists the external ()Closed 100%NewPolyRing with user defined ordering ()Closed 100%CocoA-5 coCoA-5.3.0Closed 100%Type info in CoCoA-5 manualClosed 100%GUI compilation: GMP is not naturally ()Closed 100%GUI: tix DEFINES in makefileClosed 100%Error message: I was expectingClosed 100%Find out how to compile statically ()Closed 100%Find out how to compile statically ()Closed 100%Find out how to compile statically ()Closed 100%ImportByRef and ImportByValue behave ()Closed 100%Closed 100%Closed 100%Closed 100%Closed 100%Closed 100%Closed 100%Error message: I was expectingClosed 100%Find out how to compile statically ()Closed 100%Closed 100%Closed 100%Closed 100%Closed 100%Closed 100%Closed 100%Error message: I was expectingClosed 100%Find out how to compile statically ()Closed 100%Closed 100%Closed 100%Closed 100%Closed 100%	• • • •	Rejected 100%
Readline: cursor moves wrongly ()Closed 100%Emacs: sent interrupt to CoCoAClosed 100%CoCoAManual: entry for SetVerbosityLevel/VerbosityGeg100%Closed 100%New function: IsCoprimeClosed 100%New function: SectionalMatrix, ()Closed 100%Error message from cocoalib to ()Closed 100%CoCoA-5 no longer lists the external ()Closed 100%NewPolyRing with user defined ordering ()Closed 100%ReadExpr(P, string) and RingElem(P, ()Closed 100%CoCoA-5 - CoCoA-5 3.0CoCoA-5.3.0 100%Type info in CoCoA-5 manualClosed 100%GUI: compilation: GMP is not naturally ()Closed 100%GUI: fix DEFINES in makefileClosed 100%Error message: I was expectingClosed 100%Find out how to compile statically ()Closed 100%Option to "fold" long lines?Closed 100%ImportByRef and ImportByValue behave ()Closed 100%		Closed 100%
Emacs: sent interrupt to CoCoAClosed 100%CoCoAManual: entry for SetVerbosityLevel/VerbosityE%H100%Closed 100%New function: IsCoprimeClosed 100%New function: SectionalMatrix, ()Closed 100%Error message from cocoalib to ()Closed 100%CoCoA-5 no longer lists the external ()Closed 100%NewPolyRing with user defined ordering ()Closed 100%NewPolyRing with user defined ordering ()Closed 100%CoCoA-5 - CoCoA-5 .3.0Closed 100%Type info in CoCoA-5 manualClosed 100%GUI compilation: GMP is not naturally ()Closed 100%GUI: fix DEFINES in makefileClosed 100%Error message: I was expectingClosed 100%Find out how to compile statically ()Closed 100%Option to "fold" long lines?Closed 100%ImportByRef and ImportByValue behave ()Closed 100%		Closed 100%
CoCoAManual: entry for SetVerbosityLevel/Verbosity		Closed 100%
New function: IsCoprimeClosed 100%New function: SectionalMatrix, ()Closed 100%Error message from cocoalib to ()Closed 100%CoCoA-5 no longer lists the external ()Closed 100%NewPolyRing with user defined ordering ()Closed 100%ReadExpr(P, string) and RingElem(P, ()Closed 100%CoCoA-5 - CoCoA-5.3.0CoCoA-5.3.0 100%Type info in CoCoA-5 manualClosed 100%GUI compilation: GMP is not naturally ()Closed 100%CocoA5 GUI; failed build "wrong ()Rejected 100%GUI: fix DEFINES in makefileClosed 100%Error message: I was expectingClosed 100%Find out how to compile statically ()Closed 100%Option to "fold" long lines?Closed 100%ImportByRef and ImportByValue behave ()Closed 100%	CoCoAManual: entry for SetVerbosityl evel/Ver	oosfused 100%
New function: SectionalMatrix, ()Closed 100%Error message from cocalib to ()Closed 100%CoCoA-5 no longer lists the external ()Closed 100%NewPolyRing with user defined ordering ()Closed 100%ReadExpr(P, string) and RingElem(P, ()Closed 100%CoCoA-5 - CoCoA-5.3.0Closed 100%Type info in CoCoA-5 manualClosed 100%GUI compilation: GMP is not naturally ()Closed 100%CoCoA5 GUI; failed build "wrong ()Closed 100%GUI: fix DEFINES in makefileClosed 100%Error message: I was expectingClosed 100%Find out how to compile statically ()Closed 100%Option to "fold" long lines?Closed 100%ImportByRef and ImportByValue behave ()Closed 100%Closed 100%Closed 100%Closed 100%Closed 100%Closed 100%Closed 100%Error message: I was expectingClosed 100%Find out how to compile statically ()Closed 100%Closed 100%		Closed 100%
Error message from cocoalib to ()Closed 100%CoCoA-5 no longer lists the external ()Closed 100%NewPolyRing with user defined ordering ()Closed 100%ReadExpr(P, string) and RingElem(P, ()Closed 100%CoCoA-5 - CoCoA-5.3.0CoCoA-5.3.0 100%Type info in CoCoA-5 manualClosed 100%GUI compilation: GMP is not naturally ()Closed 100%CoCoA5 GUI; failed build "wrong ()Closed 100%GUI: fix DEFINES in makefileClosed 100%Emacs UI: strange string literal ()Closed 100%Error message: I was expectingClosed 100%Find out how to compile statically ()Closed 100%Option to "fold" long lines?Closed 100%ImportByRef and ImportByValue behave ()Closed 100%Closed 100% </td <td>-</td> <td>Closed 100%</td>	-	Closed 100%
CoCoA-5 no longer lists the external ()Closed 100%NewPolyRing with user defined ordering ()Closed 100%ReadExpr(P, string) and RingElem(P, ()Closed 100%CoCoA-5 - CoCoA-5.3.0CoCoA-5.3.0 100%Type info in CoCoA-5 manualClosed 100%GUI compilation: GMP is not naturally ()Closed 100%CoCoA5GUI; failed build "wrong ()Closed 100%GUI: fix DEFINES in makefileClosed 100%Emacs UI: strange string literal ()Closed 100%Error message: I was expectingClosed 100%Find out how to compile statically ()Closed 100%Option to "fold" long lines?Closed 100%ImportByRef and ImportByValue behave ()Closed 100%		Closed 100%
NewPolyRing with user defined ordering ()Closed 100%ReadExpr(P, string) and RingElem(P, ()Closed 100%CoCoA-5 - CoCoA-5.3.0CoCoA-5.3.0 100%Type info in CoCoA-5 manualClosed 100%GUI compilation: GMP is not naturally ()Closed 100%CoCoA5 GUI; failed build "wrong ()Closed 100%GUI: fix DEFINES in makefileClosed 100%Emacs UI: strange string literal ()Closed 100%Error message: I was expectingClosed 100%Find out how to compile statically ()Closed 100%Option to "fold" long lines?Closed 100%ImportByRef and ImportByValue behave ()Closed 100%		Closed 100%
ReadExpr(P, string) and RingElem(P, ()Closed 100%CoCoA-5 - CoCoA-5.3.0CoCoA-5.3.0 100%Type info in CoCoA-5 manualClosed 100%GUI compilation: GMP is not naturally ()Closed 100%CoCoA5 GUI; failed build "wrong ()Rejected 100%GUI: fix DEFINES in makefileClosed 100%Emacs UI: strange string literal ()Closed 100%Error message: I was expectingClosed 100%Find out how to compile statically ()Closed 100%Option to "fold" long lines?Closed 100%ImportByRef and ImportByValue behave ()Closed 100%		Closed 100%
CoCoA-5 - CoCoA-5.3.0CoCoA-5.3.0 100%Type info in CoCoA-5 manualClosed 100%GUI compilation: GMP is not naturally ()Closed 100%CoCoA5 GUI; failed build "wrong ()Rejected 100%GUI: fix DEFINES in makefileClosed 100%Emacs UI: strange string literal ()Closed 100%Error message: I was expectingClosed 100%Find out how to compile statically ()Closed 100%Option to "fold" long lines?Closed 100%ImportByRef and ImportByValue behave ()Closed 100%		Closed 100%
Type find in CocoA-s manualClosed 100%GUI compilation: GMP is not naturally ()Rejected 100%CocoA5 GUI; failed build "wrong ()Closed 100%GUI: fix DEFINES in makefileClosed 100%Emacs UI: strange string literal ()Closed 100%Error message: I was expectingClosed 100%Find out how to compile statically ()Closed 100%Option to "fold" long lines?Closed 100%ImportByRef and ImportByValue behave ()Closed 100%		СоСоА-5.3.0 100%
GUI compilation: GMP is not naturally ()Closed 100%GUI: fix DEFINES in makefileRejected 100%GUI: fix DEFINES in makefileClosed 100%Emacs UI: strange string literal ()Closed 100%Error message: I was expectingClosed 100%Find out how to compile statically ()Closed 100%Option to "fold" long lines?Closed 100%ImportByRef and ImportByValue behave ()Closed 100%	Type info in CoCoA-5 manual	Closed 100%
CoCoA5 GUI; failed build "wrong ()Rejected 100%GUI: fix DEFINES in makefileClosed 100%Emacs UI: strange string literal ()Closed 100%Error message: I was expectingClosed 100%Find out how to compile statically ()Closed 100%Option to "fold" long lines?Closed 100%ImportByRef and ImportByValue behave ()Closed 100%Closed 100%Closed 100%		Closed 100%
GUI: fix DEFINES in makefileClosed 100%Emacs UI: strange string literal ()Closed 100%Error message: I was expectingClosed 100%Find out how to compile statically ()Closed 100%Option to "fold" long lines?Closed 100%ImportByRef and ImportByValue behave ()Closed 100%		Rejected 100%
Emacs of: strange string interal ()Closed 100%Error message: I was expectingClosed 100%Find out how to compile statically ()Closed 100%Option to "fold" long lines?Closed 100%ImportByRef and ImportByValue behave ()Closed 100%		Closed 100%
Find out how to compile statically () Closed 100%   Option to "fold" long lines? Closed 100%   ImportByRef and ImportByValue behave () Closed 100%	Emacs UI: strange string literal ()	Closed 100%
Find out how to compile statically () Closed 100%   Option to "fold" long lines? Closed 100%   ImportByRef and ImportByValue behave () Closed 100%	Error message: I was expecting	Closed 100%
Option to "fold" long lines? Closed 100%   ImportByRef and ImportByValue behave () Closed 100%		Closed 100%
ImportByRef and ImportByValue behave () Closed 100%		Closed 100%
		Closed 100%
		Closed 100%

CoCoA-5 distribution: tidying	Closed 100%
make htmldoc always recreates everything ()	Closed 100%
Using protected variable names ()	Closed 100%
Chebyshev polynomials	Closed 100%
CoCoA Manual: consistent spacing ()	Closed 100%
CoCoAManual: add a page with some ()	Closed 100%
Web site	Closed 100%
CoCoA-5 tests directory: cleaning	Rejected 100%
NewRingFp obsolescent; superseded ()	Closed 100%
Release CoCoA-5.3.0	Closed 100%
Lexer: unclosed multi-line comment	Closed 100%
ExternalLibs return empty list	Closed 100%
PrimaryDecomposition with lex ordering	Closed 100%
system command	Closed 100%
Add "socket" devices	Closed 100%
CartesianProductList: case of just ()	Closed 100%
John's visit Feb 2019	Closed 100%
New function: Read a string into ()	Closed 100%
sleep function	Closed 100%
Manual page for CantStop	Closed 100%
ASCII function	Closed 100%
NewPolyRing and SymbolRange together ()	Closed 100%
SortBy and SortedBy sometimes give ()	Closed 100%
CartesianProductList: too slow	Closed 100%
Website: trouble with the world ()	Closed 100%
len for RINGELEM ?!?	Closed 100%
assert-function for cocoa5	Closed 100%
NewPolyRing: allow symbols with ()	Closed 100%
Manual looking for "?"	Rejected 100%
Linking problem	Closed 100%
THINGS TO DO IN GENOVA September ()	Closed 100%
Wrong links on page about COCOA ()	Closed 100%
Manual entry about reporting bugs?	Closed 100%
Matrix row reduction (rref)	Closed 100%

Clean CoCoA-5/tests directory	Closed 100%
RealRoots fails on -x^2	Closed 100%
SEGV when debugging is active	Closed 100%
Emacs UI: emacs does not recognize ()	Closed 100%
Inconvenient PolyRingHom, PolyAlgebraHom	Closed 100%
Typevectors	Closed 100%
sylvester or SylvesterMat?	Closed 100%
ManExamples: some problems	Closed 100%
Clean out OBSOLESCENT	Rejected 100%
cocoa5 (launch) script: sleep time	Closed 100%
Emacs UI: should active input line ()	Closed 100%
Emacs UI: start cocoa5 with system ()	Closed 100%
CoCoA-5.3.0: release linked with ()	Closed 100%
Improve manual for mod	Closed 100%
Add function power to CoCoA-5	Closed 100%
SEGV: should have been harmless	Closed 100%
NewPolyRing on MS Windows	Closed 100%
NewPolyRing and SymbolRange	Closed 100%
valgrind: reports 456byte leak	Closed 100%
IsIndetPosPower: behaviour and ()	Closed 100%
John's visit Feb 2020	Closed 100%
CoCoA-5 test: radical too slow	Closed 100%
CoCoA-5 interpreter: idle/busy ()	Closed 100%
Title of manual entry: tutorial ()	Closed 100%
Parolacce e basi border	Closed 100%
Which commands should "terms" be ()	Closed 100%
CoCoAManual - tex: error if syntax ()	Closed 100%
IsDivisible also for INT	Closed 100%
IdealOfProjectivePoints and MinGens: ()	Closed 100%
SEGV: error("")	Closed 100%
'UNCAUGHT UNKNOWN EXCEPTION' when (	) Closed 100%
ABORT for unterminated string literal	Closed 100%
New function: LinearForm	Closed 100%
CoCoAInterpreter: executable size	Closed 100%

CoCoA-5 - CoCoA-5.0.2
Add "syntax" to online manual
CoCoA-5 Manual
Modify the packages so that -w3 ()
Porting package "primary.cpkg" ()
Sort entries in CoCoAHelp.xml and ()
"<=" for ideals
Makefile problem with GUI on linux
Unhandled division by zero in FFp
SmoothFactor should allow large ()
PP ordering bug
СоСоА-5 - СоСоА-5.0.3
source region
How to get the version number of ()
GUI: problem with "" comment
RealRoots should use IsRational
Packages: should exported functions ()
Bad error mesg using operator ":"
Surprise return type for GCD of ()
wordlist.txt generation
Conversion from bool to INT
JAA does not like the name IndetInd
May AsRAT produce an INT?
Multiplicity sometimes wrong
RegularityIndex <= 0
RealRootsApprox bombs
Dim/Multiplicity with Lex ordering ()
add customization forfullCoCoALibError ()
MAT/INT ? MAT/RINGELEM ?
Banner for CoCoA-5
LCM(0,x)
malloc ERROR
Slow lex gbasis
indent prints strings without quotes
<b></b> ,

Unhandled CoCoALib error: mixed ()	
segmentation fault with function ()	
BuiltIn Normaliz functions not ()	
NBM: add to CoCoA-5	
Makedependencies of CoCoA-5 fails ()	
Trouble on Linux: many CoCoA-5 ()	
BuiltIn Normaliz functions not ()	
Cyclotomic(106743) fails	
test lecture-HF4	
EmacsUI: indentation is wrong with ()	
Rename IndetsCalled to indets	
Add CpuTime to C5 manual	
(Multi)BlockMatrix	
manual entry for "indent"	
Mat(Module) should give error	
Interpreter SEGV	
basic_string::erase error in interpreter	
C5 cannot compute derivative of ()	
CoCoA website: CoCoA-5.0.3 pages	
CoCoA-5 - CoCoA-5.0.9	
Elim(t, I)	
Make the new fn CoefficientsWRT ()	
Hilbert series: global output rings ()	
Add I*f and f*I (RINGELEM and IDEAL)	
BuiltinFunctions.C getting too ()	
HilbertBasis segv	
port homog/homogenized for ideal ()	
Function for accessing the pointed ()	
implement "indent" for modules	
CoCoAManual: display syntax first	
Swap	
Is it possible to have R^3 for ()	
CoCoA website: CoCoA-5.0.9 pages	
Incr command/function	

add function to compute minimal ()	
OnlineHelp: Problem with "><" ()	
Resurrect LinearSimplify	
add IsFactorClosed	
Add Frobby functions to cocoa-5	
add Value::from(factorization<>)	
add Value::from(HPSeries)	
problem with ContentFreeFactor ()	
What does interreduce do?	
Emacs UI: semicolon does not work ()	
lambda keyword	
Not keyword/operator	
EmacsUI: indentation is wrong sometimes ()	
intersection fails with zero ideal	
Emacs UI: names of emacs fns	
CoCoA-5.0.9 release (admin, overheads, ()	
CoCoA-5 - CoCoA-5.1.0 Easter14	
Printing matrices: I/O unified ()	
Default reason for protected variables	
CoCoAManual: Doc for new commands	
TeX documentation for CoCoA-5	
CoCoAManual: entries for operators	
add modules and module operations	
describe \$package	
HilbertBasis: cocoa vs normaliz	
Normaliz functions not available ()	
BuiltInFunctions: more flexible ()	
How to obtain an integer from a ()	
CoCoAManual: entry for "and", "or", ()	
Remove/replace the word "vector" ()	
New function: IsZeroDivisor	
implement LF/DF for an ideal	
write documentation for TgCone ()	
Emacs User Interface: Easier binding ()	

IsZero for matrix
Naming conventions: upper or lower ()
Resurrect Relnotes()
New fn to increase max recursion ()
FloatStr
Emacs UI: C-c C-e does not ignore ()
CoCoA-5.0.3 Microsoft std::bad_alloc
Emacs UI: updating abbrev-table
Emacs UI: semicolon problems
Make man page for "It" easier to ()
Emacs UI: cocoa5-close-block should ()
Nested multiline comments
Record keyword
Multiline string literals - useful ()
Eliminate package approx
Multiline comments obsolescent?
CoCoAManual: Doc for strings
Emacs UI: installation on Mac OS ()
CoCoAManual: add page about creating ()
New fn/object type: timer
submodule: minimalize, minimalized
SyzOfGens (CoCoA-5) does not have ()
EmacsUI: lower case keywords
Naive version of resolution and ()
New package: OBSOLESCENT
Remove float.cpkg5
CoCoAManual: improve part on data-types
sorted gives wrong answer sometimes
CoCoAManual: improve part on language
CoCoAManual: semi-automatic check ()
Release: CoCoA-5.1.0
CoCoA-5 - CoCoA-5.1.1 Seoul14
How to get the compilation flags ()
Function "Call"

CoCoAManual: obsolete entries in ()	
Function "insert": obsolescent	
Misprints suggestions: Z> ZZ	
BringIn should allow reduction ()	
Anonymous symbols: should they ()	
Unescaped double quote inside superstring	
NmzComputation: the powerful NormalizComp	utation ()
Meaningful error for functions ()	
Distribution for linux	
Package for Polynomial Algebra ()	
Bug in Radical (actually a RingHom ()	
How to test (automatically) a user ()	
BuiltInFunctions: General "OneLiner" ( )	
Value::from makes BigIntValue::fromInt ()	
interpreter proposes no near misses ()	
Correct font for variable references ()	
Syzygy for modules: homogeneous ()	
MacOS version with static gcc libraries	
Ungraceful behaviour: Source inside ()	
Subtle bug with CoeffEmbeddingHom	
EMACS UI: fix windows splitting	
Misuse of dot-dot operator	
EMACS UI: trouble with sending ()	
CoCoAManual: New structure for ()	
Emacs UI: split horizontally instead ()	
Evaluate in other ring (was called ()	
CoCoAManual: Help page for porting ()	
Cleanup Hilbert package hp.cpkg5	
incr/decr functions: to be used ()	
BuiltInFunctions: remove calls ()	
BuiltInFunctions: evalArgAsT1OrT2, ()	
Unify releases for Linux 32 and ()	
Interpreter: problem when calling ()	
ideal wants LIST of RINGELEM	

Automatic conversion from RINGELEM ()	
C5 BuiltinFunctions.c fn RingElem	
Port function MantissaAndExponent2	
CoCoAManual: improve part on tagging	
Emacs UI: unrecognized keywords ()	
Remove ZMOD type from CoCoAInterpreter	
Online help: problem with "<>"	
Emacs UI: coloured syntax in output ()	
Disallow juxtaposition for string ()	
Resume code for "gin" (generic ()	
CharPoly(MAT) and MinPoly(MAT) ()	
rename BigIntValue, IdealValue ()	
function "packages"	
Resume CheckArgTypes	
Release: CoCoA-5.1.1	
Emacs UI; remove send-buffer?	
Emacs UI: C-return for send-line ()	
Package "empty.cpkg5"	
Resume MayerVietorisTreeN1	
CoCoA-5 - CoCoA-5.1.2 summer 2015	
CoCoA-5 emacs interface bug (minor): ()	
How to add a test for CoCoA-5 (CoCoAInterpre	ter)
BuiltInFunctions: evalArgAsLong	
Approx pts preprocessing fns	
Should SourceRegion echo the "region"?	
RingOf for list	
CoCoAManual: add entry summarising ()	
Initialization for CoCoA-5: file ()	
Duplicate fns: valuation and FactorMultiplicity	
Manual: duplication in "see also" ()	
Printing rings with ID	
package for subalgebras	
Release: CoCoA-5.1.2	
New function: RandomSubset	

Symbol in the coeff ring
GenRepr fails if there are zero ()
Flag to enable/disable printing ()
Rename adjoint to adjugate???
Remove keyword "weights"?
Emacs UI: wrong name after auto-inserting (
Emacs UI: set back "cocoa5-executable" ()
rename MinGensGeneral?
meaningful error for IDEAL <= IDEAL
CoCoAManual: improve part on RINGHOM
Readline: consider creating a textual ()
TopLevel cannot "import" a package ()
Primary Decomposition in CoCoA-5: ()
Primary Decomposition in CoCoA-5.1.2: ()
Readline: avoid printing out READLINE ()
CoCoA-5 - CoCoA-5.1.3/4 Jan 2016
Added 3 times defn of isblank fn
odd and even numbers for snapshots/official
Interpreter interrupt delayed confusingly
Release: CoCoA-5.1.3 and CoCoA-5.1.4
MacOSX: many warnings with compiler ()
CoCoA-5 test (SourceAnna); problem ()
Emacs UI: problems with packages ()
Which external libs are present?
Primary Decomposition in CoCoA-5.1.3: ()
description of a RING
Evaluating a QuasiPol
CoCoA version number: copy CoCoALib
Rename Log to exponents
Rename LogToTerm to MakeTerm
New fns: MaxBy and MinBy to find ()
BuiltinFunctions getting too ()
IsMaximal, IsPrimary for IDEAL ()
CoCoA-5 - CoCoA-5.2.2

CoCoA-5 (partial) releases: make ()
Linking problems in CoCoA-5 GUI
CoCoA website: download pages and ()
Compiler g++ 4.2.1 (clang-503.0.40) ()
Release: CoCoA-5.2.2
Error column indicator misaligned ()
Interpreter: Avoid outputting an ()
C5 GUI: slow to close
use poly ring with many variables ()
Rename Fact to factorial?
Check all fns in packages work ()
SqFreeFactor: small (or big) bug?
Makefile: install target for cocoa5
CoCoAManual for "all cocoa commands"
Random seed fn
Rename minimalized(I) into IdealOfMinGens(I)
CoCoA Manual: search should ignore ()
CoCoAManual for verbosity: how ()
IsInRadical: fragile code
CoCoAManual: duplication (2 pages ()
describe ring: add final newline
IsRadical bug?
"Randomize" and "Randomized" obsolete?
RelNotes: current version or all ()
CoCoAManual: entry for radical
intersect: problem with zero generators
New function: PrevPrime
EmacsUI: get error "wrong-type-argument ()
ExternaLib-MathSAT: (first) prototype ()
Design issues for discussion in ()
TimeOut not working as hoped/expected
PrimaryDecomposition0: says not ()
Emacs UI can be slow in M\$ Windows
Mailing list for CoCoAUsers

Should "minimalize" be obsolescent?   subalgebra package obsolete?   HomomorphismFns.cpkg5 no longer ()   Radical bug   Latex: ideal   Radical problems   ImplicitModular: too many bad primes   NewZzmod: port to CoCoA-5   CoCoA-5 - CoCoA-5.2.4   Unhelpful error messages when SmallExponent_t ()   ApproxSolve very slow on this example   CommonDenom: for polys and lists?   (makefile) New "clean" target which ()   Some other examples for 0-dim radical   New fn: RandomLinearForm   Release: coCoA-5.2.4   Manual: loading manual entries ()   MinSubsetOfGens: problem with generators ()   Product of empty list: manual and ()   HilbertBasisKer: SEGV (again)   ApproSolve: log(0) on some examples   New package: poset   New package: arrangements   CoCoA-5 - CoCoA-5.3.2   coccoA 5.3.2   CoCoA-5 - CoCoA-5.4.0   Font for parameters in manual   CoCoA-5 - CoCoA-5.4.0   Font for parameters in manual   CoCoA-5 - CoCoA-5.4.0   Font for parameters in manual   CoCoA-5 - CoCoA-5.4.0 <td< th=""><th></th><th></th></td<>		
HomomorphismFns.cpkg5 no longer () Radical bug Latex: ideal Radical problems ImplicitModular: too many bad primes NewZZmod: port to CoCoA-5 CoCoA-5 - CoCoA-5.2.4 Unhelpful error messages when SmallExponent_t () ApproxSolve very slow on this example CommonDenom: for polys and lists? (makefile) New "clean" target which () Some other examples for 0-dim radical New fn: RandomLinearForm Release: CoCoA-5.2.4 Release: problems with sed FactorAlgExt Manual: loading manual entries () Product of empty list: manual and () HilbertBasisKer: unhelpful error () HilbertBasisKer: unhelpful error () HilbertBasisKer: sEGV (again) ApproxSolve: log(0) on some examples New package: poset New package: poset New package: arrangements CoCoA-5 - CoCoA-5.3.2 coccoa5 script for releases EmacsUI: sending line with "7" () Release CoCoA-5.4.0 Font for parameters in manual CoCoALib BuildInfo vs CoCoA-5 VersionInfo	Should "minimalize" be obsolescent?	
Radical bug   Latex: ideal   Radical problems   ImplicitModular: too many bad primes   NewZZmod: port to CoCoA-5   CoCoA-5 - CoCoA-5.2.4   Unhelpful error messages when SmallExponent_t ()   ApproxSolve very slow on this example   CommonDenom: for polys and lists?   (makefile) New "clean" target which ()   Some other examples for 0-dim radical   New fn: RandomLinearForm   Release: problems with sed   FactorAlgExt   Manual: loading manual entries ()   MinSubsetOfGens: problem with generators ()   Product of empty list: manual and ()   HilbertBasisKer: unhelpful error ()   HilbertBasisKer: SEGV (again)   ApproxSolve: log(0) on some examples   New package: poset   New package: poset   New package: arrangements   CoCoA-5 - CoCoA-5.3.2   cocca5 script for releases   EmacsUI: sending line with "7" ()   Release CoCoA-5.3.2   CoCoA-5 - CoCoA-5.4.0   Font for parameters in manual   CoCoA-5 - CoCoA-5.4.0	subalgebra package obsolete?	
Latex: ideal Radical problems ImplicitModular: too many bad primes NewZZmod: port to CoCoA-5 CoCoA-5 - CoCoA-5.2.4 Unhelpful error messages when SmallExponent_t () ApproxSolve very slow on this example CommonDenom: for polys and lists? (makefile) New "clean" target which () Some other examples for 0-dim radical New fn: RandomLinearForm Release CoCoA-5.2.4 Release: problems with sed FactorAlgExt Manual: loading manual entries () MinSubsetOfGens: problem with generators () Product of empty list: manual and () HilbertBasisKer: unhelpful error () HilbertBasisKer: sEGV (again) ApproxSolve: log(0) on some examples New package: poset New package: poset New package: arrangements CoCoA-5 - CoCoA-5.3.2 CoCoA-5 - CoCoA-5.3.2 CoCoA-5 - CoCoA-5.3.2 CoCoA-5.1.0 Font for parameters in manual CoCoALib BuildInfo vs CoCoA-5 VersionInfo	HomomorphismFns.cpkg5 no longer ()	
Radical problems   ImplicitModular: too many bad primes   NewZZmod: port to CoCoA-5   CoCoA-5 - CoCoA-5.2.4   Unhelpful error messages when SmallExponent_t ()   ApproxSolve very slow on this example   CommonDenom: for polys and lists?   (makefile) New "clean" target which ()   Some other examples for 0-dim radical   New fn: RandomLinearForm   Release: problems with sed   FactorAlgExt   Manual: loading manual entries ()   MinSubsetOfGens: problem with generators ()   Product of empty list: manual and ()   HilbertBasisKer: unhelpful error ()   HilbertBasisKer: sEGV (again)   ApproxSolve: log(0) on some examples   New package: arrangements   CoCoCA-5 - CoCoA-5.3.2   cocca5 script for releases   EmacsUI: sending line with "7" ()   Release CoCoA-5.4.0   Font for parameters in manual   CoCoA-5 - CoCoA-5.4.0	Radical bug	
ImplicitModular: too many bad primes NewZZmod: port to CoCoA-5 CoCoA-5 - CoCoA-5.2.4 Unhelpful error messages when SmallExponent_t () ApproxSolve very slow on this example CommonDenom: for polys and lists? (makefile) New "clean" target which () Some other examples for 0-dim radical New fn: RandomLinearForm Release CoCoA-5.2.4 Release: problems with sed FactorAlgExt Manual: loading manual entries () MinSubsetOfGens: problem with generators () Product of empty list: manual and () HilbertBasisKer: unhelpful error () HilbertBasisKer: sEGV (again) ApproxSolve: log(0) on some examples New package: arrangements CoCoA-5 - CoCoA-5.3.2 coccoa5 script for releases EmacsUI: sending line with "7" () Release CoCoA-5.4.0 Font for parameters in manual CoCoALib BuildInfo vs CoCoA-5 VersionInfo	Latex: ideal	
NewZZmod: port to CoCoA-5 CoCoA-5 - CoCoA-5.2.4 Unhelpful error messages when SmallExponent_t () ApproxSolve very slow on this example CommonDenom: for polys and lists? (makefile) New "clean" target which () Some other examples for 0-dim radical New fn: RandomLinearForm Release CoCoA-5.2.4 Release: problems with sed FactorAlgExt Manual: loading manual entries () MinSubsetOfGens: problem with generators () Product of empty list: manual and () HilbertBasisKer: unhelpful error () HilbertBasisKer: SEGV (again) ApproxSolve: log(0) on some examples New package: poset New package: arrangements CoCoA-5 - CoCoA-5.3.2 coccoa5 script for releases EmacsUI: sending line with "7" () Release CoCoA-5.4.0 Font for parameters in manual CoCoALib BuildInfo vs CoCoA-5 VersionInfo	Radical problems	
CoCoA-5 - CoCoA-5.2.4 Unhelpful error messages when SmallExponent_t () ApproxSolve very slow on this example CommonDenom: for polys and lists? (makefile) New "clean" target which () Some other examples for 0-dim radical New fn: RandomLinearForm Release CoCoA-5.2.4 Release: problems with sed FactorAlgExt Manual: loading manual entries () MinSubsetOfGens: problem with generators () Product of empty list: manual and () HilbertBasisKer: unhelpful error () HilbertBasisKer: SEGV (again) ApproxSolve: log(0) on some examples New package: poset New package: poset New package: arrangements CoCoA-5 - CoCoA-5.3.2 cocoa5 script for releases EmacsUI: sending line with "7" () Release CoCoA-5.4.0 Font for parameters in manual CoCoALib BuildInfo vs CoCoA-5 VersionInfo	ImplicitModular: too many bad primes	
Unhelpful error messages when SmallExponent_t () ApproxSolve very slow on this example CommonDenom: for polys and lists? (makefile) New "clean" target which () Some other examples for 0-dim radical New fn: RandomLinearForm Release CoCoA-5.2.4 Release: problems with sed FactorAlgExt Manual: loading manual entries () MinSubsetOfGens: problem with generators () Product of empty list: manual and () HilbertBasisKer: unhelpful error () HilbertBasisKer: SEGV (again) ApproxSolve: log(0) on some examples New package: poset New package: arrangements CoCoA-5 - CoCoA-5.3.2 coccoa5 script for releases EmacsUI: sending line with "7" () Release CoCoA-5.4.0 Font for parameters in manual CoCoALib BuildInfo vs CoCoA-5 VersionInfo		
ApproxSolve very slow on this example CommonDenom: for polys and lists? (makefile) New "clean" target which () Some other examples for 0-dim radical New fn: RandomLinearForm Release CoCoA-5.2.4 Release: problems with sed FactorAlgExt Manual: loading manual entries () MinSubsetOfGens: problem with generators () Product of empty list: manual and () HilbertBasisKer: unhelpful error () HilbertBasisKer: SEGV (again) ApproxSolve: log(0) on some examples New package: poset New package: poset New package: arrangements CoCoA-5 - CoCoA-5.3.2 coccoa5 script for releases EmacsUI: sending line with "7" () Release CoCoA-5.4.0 Font for parameters in manual CoCoALib BuildInfo vs CoCoA-5 VersionInfo	СоСоА-5 - СоСоА-5.2.4	
CommonDenom: for polys and lists? (makefile) New "clean" target which () Some other examples for 0-dim radical New fn: RandomLinearForm Release CoCoA-5.2.4 Release: problems with sed FactorAlgExt Manual: loading manual entries () MinSubsetOfGens: problem with generators () Product of empty list: manual and () HilbertBasisKer: unhelpful error () HilbertBasisKer: SEGV (again) ApproxSolve: log(0) on some examples New package: poset New package: poset New package: arrangements CoCoA-5 - CoCoA-5.3.2 cocoa5 script for releases EmacsUI: sending line with "7" () Release CoCoA-5.4.0 Font for parameters in manual CoCoALib BuildInfo vs CoCoA-5 VersionInfo	Unhelpful error messages when SmallExponen	t_t ()
CommonDenom: for polys and lists? (makefile) New "clean" target which () Some other examples for 0-dim radical New fn: RandomLinearForm Release CoCoA-5.2.4 Release: problems with sed FactorAlgExt Manual: loading manual entries () MinSubsetOfGens: problem with generators () Product of empty list: manual and () HilbertBasisKer: unhelpful error () HilbertBasisKer: SEGV (again) ApproxSolve: log(0) on some examples New package: poset New package: poset New package: arrangements CoCoA-5 - CoCoA-5.3.2 cocoa5 script for releases EmacsUI: sending line with "7" () Release CoCoA-5.4.0 Font for parameters in manual CoCoALib BuildInfo vs CoCoA-5 VersionInfo	ApproxSolve very slow on this example	
(makefile) New "clean" target which () Some other examples for 0-dim radical New fn: RandomLinearForm Release CoCoA-5.2.4 Release: problems with sed FactorAlgExt Manual: loading manual entries () MinSubsetOfGens: problem with generators () Product of empty list: manual and () HilbertBasisKer: unhelpful error () HilbertBasisKer: SEGV (again) ApproxSolve: log(0) on some examples New package: poset New package: arrangements CoCoA-5 - CoCoA-5.3.2 cocoa5 script for releases EmacsUI: sending line with "7" () Release CoCoA-5.4.0 Font for parameters in manual CoCoALib Buildinfo vs CoCoA-5 VersionInfo		
Some other examples for 0-dim radicalNew fn: RandomLinearFormRelease CoCoA-5.2.4Release: problems with sedFactorAlgExtManual: loading manual entries ()MinSubsetOfGens: problem with generators ()Product of empty list: manual and ()HilbertBasisKer: unhelpful error ()HilbertBasisKer: SEGV (again)ApproxSolve: log(0) on some examplesNew package: posetNew package: arrangementsCoCoA-5 - CoCoA-5.3.2cocco3 script for releasesEmacsUI: sending line with "7" ()Release CoCoA-5.4.0Font for parameters in manualCoCoALib BuildInfo vs CoCoA-5 VersionInfo		
New fn: RandomLinearFormRelease CoCoA-5.2.4Release: problems with sedFactorAlgExtManual: loading manual entries ()MinSubsetOfGens: problem with generators ()Product of empty list: manual and ()HilbertBasisKer: unhelpful error ()HilbertBasisKer: SEGV (again)ApproxSolve: log(0) on some examplesNew package: posetNew package: arrangementsCoCoA-5 - CoCoA-5.3.2coccoa5 script for releasesEmacsUI: sending line with "7" ()Release CoCoA-5.4.0Font for parameters in manualCoCoALib BuildInfo vs CoCoA-5 VersionInfo		
Release: problems with sed   FactorAlgExt   Manual: loading manual entries ()   MinSubsetOfGens: problem with generators ()   Product of empty list: manual and ()   HilbertBasisKer: unhelpful error ()   HilbertBasisKer: SEGV (again)   ApproxSolve: log(0) on some examples   New package: poset   New package: arrangements   CoCoA-5 - CoCoA-5.3.2   cocoa5 script for releases   EmacsUI: sending line with "7" ()   Release CoCoA-5.3.2   CoCoA-5 - CoCoA-5.4.0   Font for parameters in manual   CoCoALib BuildInfo vs CoCoA-5 VersionInfo	-	
FactorAlgExt   Manual: loading manual entries ()   MinSubsetOfGens: problem with generators ()   Product of empty list: manual and ()   HilbertBasisKer: unhelpful error ()   HilbertBasisKer: SEGV (again)   ApproxSolve: log(0) on some examples   New package: poset   New package: arrangements   CoCoA-5 - CoCoA-5.3.2   cocoa5 script for releases   EmacsUI: sending line with "7" ()   Release CoCoA-5.3.2   CoCoA-5 - CoCoA-5.4.0   Font for parameters in manual   CoCoALib BuildInfo vs CoCoA-5 VersionInfo	Release CoCoA-5.2.4	
FactorAlgExt   Manual: loading manual entries ()   MinSubsetOfGens: problem with generators ()   Product of empty list: manual and ()   HilbertBasisKer: unhelpful error ()   HilbertBasisKer: SEGV (again)   ApproxSolve: log(0) on some examples   New package: poset   New package: arrangements   CoCoA-5 - CoCoA-5.3.2   cocoa5 script for releases   EmacsUI: sending line with "7" ()   Release CoCoA-5.3.2   CoCoA-5 - CoCoA-5.4.0   Font for parameters in manual   CoCoALib BuildInfo vs CoCoA-5 VersionInfo	Release: problems with sed	
Manual: loading manual entries () MinSubsetOfGens: problem with generators () Product of empty list: manual and () HilbertBasisKer: unhelpful error () HilbertBasisKer: SEGV (again) ApproxSolve: log(0) on some examples New package: poset New package: arrangements CoCoA-5 - CoCoA-5.3.2 cocoa5 script for releases EmacsUI: sending line with "7" () Release CoCoA-5.4.0 Font for parameters in manual CoCoALib BuildInfo vs CoCoA-5 VersionInfo	•	
MinSubsetOfGens: problem with generators () Product of empty list: manual and () HilbertBasisKer: unhelpful error () HilbertBasisKer: SEGV (again) ApproxSolve: log(0) on some examples New package: poset New package: arrangements CoCoA-5 - CoCoA-5.3.2 cocoa5 script for releases EmacsUI: sending line with "7" () Release CoCoA-5.3.2 CoCoA-5 - CoCoA-5.4.0 Font for parameters in manual CoCoALib BuildInfo vs CoCoA-5 VersionInfo	-	
Product of empty list: manual and () HilbertBasisKer: unhelpful error () HilbertBasisKer: SEGV (again) ApproxSolve: log(0) on some examples New package: poset New package: arrangements CoCoA-5 - CoCoA-5.3.2 cocoa5 script for releases EmacsUI: sending line with "7" () Release CoCoA-5.3.2 CoCoA-5 - CoCoA-5.4.0 Font for parameters in manual CoCoALib BuildInfo vs CoCoA-5 VersionInfo		-)
HilbertBasisKer: unhelpful error ()   HilbertBasisKer: SEGV (again)   ApproxSolve: log(0) on some examples   New package: poset   New package: arrangements   CoCoA-5 - CoCoA-5.3.2   cocoa5 script for releases   EmacsUI: sending line with "7" ()   Release CoCoA-5.3.2   CoCoA-5 - CoCoA-5.4.0   Font for parameters in manual   CoCoALib BuildInfo vs CoCoA-5 VersionInfo		
HilbertBasisKer: SEGV (again) ApproxSolve: log(0) on some examples New package: poset New package: arrangements CoCoA-5 - CoCoA-5.3.2 cocoa5 script for releases EmacsUI: sending line with "7" () Release CoCoA-5.3.2 CoCoA-5 - CoCoA-5.4.0 Font for parameters in manual CoCoALib BuildInfo vs CoCoA-5 VersionInfo		
ApproxSolve: log(0) on some examples New package: poset New package: arrangements CoCoA-5 - CoCoA-5.3.2 cocoa5 script for releases EmacsUI: sending line with "7" () Release CoCoA-5.3.2 CoCoA-5 - CoCoA-5.4.0 Font for parameters in manual CoCoALib BuildInfo vs CoCoA-5 VersionInfo		
New package: poset New package: arrangements CoCoA-5 - CoCoA-5.3.2 cocoa5 script for releases EmacsUI: sending line with "7" () Release CoCoA-5.3.2 CoCoA-5 - CoCoA-5.4.0 Font for parameters in manual CoCoALib BuildInfo vs CoCoA-5 VersionInfo		
New package: arrangements CoCoA-5 - CoCoA-5.3.2 cocoa5 script for releases EmacsUI: sending line with "7" () Release CoCoA-5.3.2 CoCoA-5 - CoCoA-5.4.0 Font for parameters in manual CoCoALib BuildInfo vs CoCoA-5 VersionInfo		
cocoa5 script for releases EmacsUI: sending line with "7" () Release CoCoA-5.3.2 CoCoA-5 - CoCoA-5.4.0 Font for parameters in manual CoCoALib BuildInfo vs CoCoA-5 VersionInfo		
EmacsUI: sending line with "7" () Release CoCoA-5.3.2 CoCoA-5 - CoCoA-5.4.0 Font for parameters in manual CoCoALib BuildInfo vs CoCoA-5 VersionInfo		
EmacsUI: sending line with "7" () Release CoCoA-5.3.2 CoCoA-5 - CoCoA-5.4.0 Font for parameters in manual CoCoALib BuildInfo vs CoCoA-5 VersionInfo	cocoa5 script for releases	
Release CoCoA-5.3.2 CoCoA-5 - CoCoA-5.4.0 Font for parameters in manual CoCoALib BuildInfo vs CoCoA-5 VersionInfo		
Font for parameters in manual CoCoALib BuildInfo vs CoCoA-5 VersionInfo		
CoCoALib BuildInfo vs CoCoA-5 VersionInfo	СоСоА-5 - СоСоА-5.4.0	
CoCoALib BuildInfo vs CoCoA-5 VersionInfo	Font for parameters in manual	
Describe should indicate package ()	-	
	Describe should indicate package ()	

Manual for CoCoAManual/CoCoAHelp.xml
Evaluate in ring operator (was ()
Interpreter: is it possible to ()
Interpreter error message: "for" ()
Package protected variables should ()
Distinguish indets from symbols ()
Undesirable consequence of automatic ()
Ring constructor: allow empty range ()
Builtin fn makes unnecessary copy ()
Local variables hiding out ones ()
External libs: interrupting not ()
RationalSolve: wrongly complains ()
CoCoA-5 prompt for incomplete input
Release for MacOS: compilation ()
Readline: does not recognize interrupts
CoCoAManual: searching for ?? mat ()
ConcatList or ConcatLists
package of a function> of an ()
Rename HilbertBasisKer into LinKerHilbertBas
Package exported function: wrong ()
CoCoAManual: ensure that LaTeX ()
RationalSolve: gives "Error: must ()
RationalSolve: gives wrong answer
Documentation for how to write ()
RationalSolve: use MinPolyQuot ()
Groebner Bases over ZZ
Better err mesg for easy typo in ()
CoCoA-5 tests may fail even if ()
How can user find the indent command?
CoCoA-5 header files: should use ()
ApproxSolve: another slow example
Website: download page for CoCoA-4 ()
Crashes if CoCoAHelp.xml is missing
Website: hide/delete all the CoCoA-4 ()
 \ /

Tagged values (Hilbert Series)	
Emacs UI: font size	
Juxtaposition of string literals	
Illegal instruction	
Manual entry for RandomLinearForm	
CoCoA Manual: make search keys ()	
In a release: which files inside ()	
Manual entries for mod and div	
Automatic mapping for multiplication?	
Release CoCoA-5.4.0	
HilbertBasis: clarify	
CoCoA release for linux: CoCoAInterpreter: ()	
EOF for OpenIFile	
Unhelpful error message for package ()	
Automatic ring mapping in assignment?	
Package exporting nothing?	
Export many names or just one?	
testing for syntax errors	
OnlineHelp: XMLFileName	
EmacsUI: fix "Go to Error C-c C-p"	
Remove XMLFileName from Main.C	
wordlist without OBSOLETE entries?	
RingElems with empty input	
Package with unexpected EOF	
Cocoa crashes when calling RingElems	
substring function	
Replace BOOST_FOREACH by new C++14 ()	
wrong SystemCommand exit value	
CoCoA Manual: homogenize obsolete/obsolesc	ent ()
EmacsUI: help/manual for selected ()	