CoCoALib

| | | 202 | 25-6 | | | 2025-7 | | | | 2025-8 | | | 2025-9 | | | | 2025-10 | | | | 2025-11 | | | | | |
|--|----|------|------|----|----|--------|----|----|----|--------|----|----|--------|----|----|----|---------|----|----|---|---------|----|----|----|----|---|
| | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 | 39 | 40 | 41 | 4 | 2 43 | 44 | 45 | 46 | 47 | 4 |
| CoCoA | | | | | | | | | | | | | | | | | | | | - | | | | | | |
| CoCoALib | | CoCo | ALib | | | | | | | | | | | | | | | | | | | | | | | |
| MinPolyQuot not documented | | | | | | | | | | | | | | | | | | | | | | | | | | |
| New function IsInSymbols | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CoCoALib releases on redmine | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CoCoALib - CoCoALib-0.99850 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Release CoCoALib 0.99850 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CoCoALib - CoCoALib-0.99880 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Matrix equation solving; linear () Improve threadsafety | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Matrix equation solving: LinKer | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Printing polynomials - spaces between () | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Play with GIT | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Error: ERR::NotNonZero instead () | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Elim(vector <long>) as PPOrderingCtor</long> | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Syzygy for modules: non-homogeneous () | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Error codes: use same code for () | | | | | | | | | | | | | | | | | | | | | | | | | | |
| LongRange: in which file should () | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Impl small non-prime finite fields () | | | | | | | | | | | | | | | | | | | | | | | | | | |
| DistrMPolyClean does not use MemPool () | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MatrixOrderingMod32749Impl: test () | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Update normaliz interface? | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Better errors: give supplementary () | | | | | | | | | | | | | | | | | | | | | | | | | | |
| SLUG: elimination | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Test whether a symbol is in a ring | | | | | | | | | | | | | | | | | | | | | | | | | | |
| DivMask: extend interface? | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Implement "elim" in CoCoALib | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Cleanup MinPoly code | | | | | | | | | | | | | | | | | | | | | | | | | | |

| implicit, ImplicitHypersurface: () | |
|---|----------|
| Redesign ideals | |
| LinSolve for matrices over FFp | |
| strict enum types: C++11 extension | |
| New function: cardinality of finite () | |
| FlagManager for bool/bool3 flags | |
| MachineInt or long for args which () | |
| Separate configure scripts for () | |
| MachineInt: change semantics? | |
| IsRadical for ideal? | |
| New function: multiplicity and () | |
| Improve saturate | |
| Slug: Polynomial ring contructor () | |
| Revive code for SelfSaturating () | |
| SLUG: factorization of x^9999 | |
| Separate install script for CoCoALib? | |
| Canonical homomorphism for (some) () | |
| interval arithmetic | |
| Clean up SparsePolyOps-MonomialIdeals | |
| Naming convention mistakes | |
| IsZeroDet: new fn | |
| New function: SubmoduleOfGBasis | |
| Frobby version number | |
| factor SEGV too large characteristic | |
| C++14: Use type auto where appropriate | |
| New function: MinPoly for pseudo-zero-dimens | ional () |
| Ideals with trivial GBasis | |
| Tidy CoCoALib test directory | |
| Determinant & Inverse of matrix () | |
| Factor of multivariate sometimes () | |
| exgcd over integers (ZZ) | |
| PrimaryDecomposition: a interesting/pathologi | cal () |
| C++14: use the new for loop syntax () | |
| ideal ctor where given gens are () | |

| TmpLDP uses srand and time |
|--|
| RingID counter increased inside () |
| Type ideal for ZZ[x[1n]] |
| GlobalManager: create SignalWatcher () |
| Oddly slow GBasis computation (slow () |
| Make class RingElemVector? |
| RadicalZeroDim with extra parameter () |
| Remove flag IhaveGBasisValue? |
| DenseMatrix: use template impl () |
| HNF: Hermite Normal Form |
| Start using C++14 "move" capability |
| What is the difference between () |
| mul(MAT,MAT,MAT) |
| Simple syntax for making a quotient () |
| Doc for normaliz fns |
| Documentation for SparsePolyOps? |
| Better test for univariate-ness () |
| Unexpectedly slow example with () |
| gfan does not "deinitialize" |
| Default ctor for rings |
| Doc for module term orderings |
| matrix.H and MatrixView.H |
| ker_H needs care |
| Use noexcept |
| DynamicBitset missing arg checks |
| cmp for machine integers |
| Detect updated versions of external () |
| Clean time.C |
| Documentation for PrimaryDecomposition |
| Unused variables, params, data () |
| NR for polys with coeffs in PID |
| interreduce: make monic if over () |
| rref slower than expected (maybe) () |
| Improve CertifyNotPower |
| · · · · |

| txt2tags: problem with filenames () |
|---|
| geobucket: documentation |
| Compilation on Windows: problems () |
| GBasis over ZZ: port to CoCoALib |
| Generalize prim |
| Review File subtree hierarchy |
| Build also dynamic/shared library () |
| Review examples |
| release-source script: use shell () |
| Unsigned long for indexes (& sizes?) |
| IsIrred in ZZ[x,y] |
| RingBase::mySwap needed? |
| Shell scripts: Shebang line, etc |
| Threadsafety, multithreading: optional () |
| Symlink directory for external () |
| ProgressReporter: prepare for new () |
| Development releases? |
| ProductBigInt (also ProductBigRat???) |
| DivAlg in CoCoALib |
| Cruft in ExtLibs-Normaliz.C |
| ApplySPRCodomain: relax power/exponent (|
| FactorINT: funny order |
| Clean TmpGOperations, and remove () |
| Homogenization of an ideal with () |
| Suggestion about Graded polynomial () |
| MinGens gives non minimal gens () |
| MinGens could be faster |
| Implement Truncated GBases for () |
| Implement GBMill (aka Groebner () |
| July 2023 |
| IdealOfPoints: allow duplicate () |
| deg(f) is slow if f is long |
| gcd(f,f) is slow |
| Verbosity messages: avoid printing () |
| , |

| | VerificationLevel: just 3? Low, () |
|---|---|
| | Homogenizer |
| | Make CoCoALib test file for radical |
| | Iterator design: compatible with () |
| | CpuTimeOut: arg of type ErrorContext? |
| | Use ErrorContext instead of string () |
| | myFinalizeGBasis ("Final clean () |
| | Computing in sub polyring |
| | Conversion from SmallPrime to UNSIGNED (|
| | BuildInfo |
| | Error codes: "Not" for "blah () |
| | New constructor for PolyRing with () |
| | Make ex-syz.C |
| | Check include guards |
| | Documentation: indexXX.html should () |
| (| CoCoALib - CoCoALib-0.99900 |
| | Redmine Administration |
| | Design new errors using inheritance |
| | Which names to use? Intersection/saturation |
| | New function: IdealWithIncrementalGBasis(I, (|
| | Documentation: translation table |
| | New class: exterior algebra |
| | ideal: does const ourGetPtr really () |
| | Create PolyOps-RingElem? |
| | Move to C++14 (skipping C++11) |
| | subresultant |
| | HilbertDriven Buchberger Algorithm |
| | Filling matrix row/col from a vector |
| | GFan: port CoCoA_5 functions into () |
| | Adjoin indets to a poly ring |
| | Get indexed indets from a polyring |
| | Idea for for loops |
| | Extended rationals: PlusInfinity () |
| | submat of a submat |
| | |

| SLUG: Printing PPs with many indets | |
|---|---|
| Convenient RingHom pseudo-ctors | |
| Factorization in K(a,b)[x,y] | |
| ElimMat is slow | |
| Sparse matrix (SparseMat) | |
| Coding guidelines | |
| Signal handler not portable? | |
| Intersection of Ideals: has GBasis? | |
| | |
| Implement monic0(f) for the case () Add LM to cocoalib ? | |
| | |
| MachineInt: chase through ULL () | |
| Documentation: a good model to () | |
| swap for new classes | |
| Random and threadsafe? | |
| Suggestion: Add "JumpTo" function () | |
| Use C++ attributes | |
| Finalize design for ideals in CoCoALib | |
| Code & doc structure: one-big-file () | |
| Add flag IhaveHomogGensValue () | |
| Add function IsHomog3(I)? | |
| Add new function for IsInRadical () | |
| Add a function CleanupGens making () | |
| Tidying ideal generators (for non-polynomial (. |) |
| Improve trivial operations with () | |
| Use long long (at least sometimes)? | |
| Release CoCoALib 0.99900 | |
| Some tests have become slower | |
| Ensure tests do not need too much () | |
| JSON and UUID | |
| CoCoALib - CoCoALib-1.0 | |
| Sort out RingElem, RefRingElem, () | |
| List of all functions in CoCoALib | |
| printing polynomials | |
| keywords in documentation | |

| Cleanup header for ring classes () Error Codes automatic creation of all function () Introduce PartialHom Ideals of polynomials LT over QQ: surprisingly slow IdealOfPoints with generic coeffs New datastructures directory Convert DUPFF code to C++ Better GCD Design problem in ideals Convenience ring ctors and homs Buchberger-Moeller (parent task) Buchberger-Moeller: impl via () Buchberger-Moeller: impl via () Buchberger-Moeller: input conversions Makefile dependencies RingOf rather than owner? (and () Iterated CanonicalHom GCD normalization (e.g. monic) Convert old "task table" into redmine IsStdGraded: add for PPOrdering, () PPWithMask needs checking Example for change of coordinates () HilbertBasis from Normaliz: full-lattice () Generator for random ring elements Documentation for QBGenerator needs () No test for QBGenerator Approx QIR Transcribe C4 code for GCD in QQ[x] Multivariate lifting Move the various <matrix>::mySetEntry () Forward declarations Eliminate class RefPPMonoidElem?</matrix> | |
|--|---------------------------------------|
| automatic creation of all function () Introduce PartialHom Ideals of polynomials LT over QQ: surprisingly slow IdealOfPoints with generic coeffs New datastructures directory Convert DUPFF code to C++ Better GCD Design problem in ideals Convenience ring ctors and homs Buchberger-Moeller (parent task) Buchberger-Moeller: fast modular () Buchberger-Moeller: inpl via () Buchberger-Moeller: inpl via () Buchberger-Moeller: input conversions Makefile dependencies RingOf rather than owner? (and () Iterated CanonicalHom GCD normalization (e.g. monic) Convert old "task table" into redmine IsStdGraded: add for PPOrdering, () PPWithMask needs checking Example for change of coordinates () HilbertBasis from Normaliz: full-lattice () Generator for random ring elements Documentation for QBGenerator needs () No test for QBGenerator Approx QIR Transcribe C4 code for GCD in QQ[x] Multivariate lifting Move the various <matrix>::mySetEntry ()</matrix> | Cleanup header for ring classes () |
| Introduce PartialHom Ideals of polynomials LT over QQ: surprisingly slow IdealOfPoints with generic coeffs New datastructures directory Convert DUPFF code to C++ Better GCD Design problem in ideals Convenience ring ctors and homs Buchberger-Moeller (parent task) Buchberger-Moeller: fast modular () Buchberger-Moeller: impl via () Buchberger-Moeller: input conversions Makefile dependencies RingOf rather than owner? (and () Iterated CanonicalHom GCD normalization (e.g. monic) Convert old "task table" into redmine IsStdGraded: add for PPOrdering, () PPWithMask needs checking Example for change of coordinates () HilbertBasis from Normaliz: full-lattice () Generator for random ring elements Documentation for QBGenerator needs () No test for QBGenerator Approx QIR Transcribe C4 code for GCD in QQ[x] Multivariate lifting Move the various <matrix>::mySetEntry ()</matrix> | Error Codes |
| Ideals of polynomials LT over QQ: surprisingly slow IdealOfPoints with generic coeffs New datastructures directory Convert DUPFF code to C++ Better GCD Design problem in ideals Convenience ring ctors and homs Buchberger-Moeller (parent task) Buchberger-Moeller: fast modular () Buchberger-Moeller: impl via () Buchberger-Moeller: input conversions Makefile dependencies RingOf rather than owner? (and () Iterated CanonicalHom GCD normalization (e.g. monic) Convert old "task table" into redmine IsStdGraded: add for PPOrdering, () PPWithMask needs checking Example for change of coordinates () HilbertBasis from Normaliz: full-lattice () Generator for random ring elements Documentation for QBGenerator needs () No test for QBGenerator Approx QIR Transcribe C4 code for GCD in QQ[x] Multivariate lifting Move the various <matrix>::mySetEntry ()</matrix> | automatic creation of all function () |
| LT over QQ: surprisingly slow IdealOfPoints with generic coeffs New datastructures directory Convert DUPFF code to C++ Better GCD Design problem in ideals Convenience ring ctors and homs Buchberger-Moeller (parent task) Buchberger-Moeller: fast modular () Buchberger-Moeller: inpl via () Buchberger-Moeller: input conversions Makefile dependencies RingOf rather than owner? (and () Iterated CanonicalHom GCD normalization (e.g. monic) Convert old "task table" into redmine IsStdGraded: add for PPOrdering, () PPWithMask needs checking Example for change of coordinates () HilbertBasis from Normaliz: full-lattice () Generator for random ring elements Documentation for QBGenerator needs () No test for QBGenerator Approx QIR Transcribe C4 code for GCD in QQ[x] Multivariate lifting Move the various <matrix>::mySetEntry () Forward declarations</matrix> | Introduce PartialHom |
| IdealOfPoints with generic coeffs New datastructures directory Convert DUPFF code to C++ Better GCD Design problem in ideals Convenience ring ctors and homs Buchberger-Moeller (parent task) Buchberger-Moeller: fast modular () Buchberger-Moeller: inpl via () Buchberger-Moeller: input conversions Makefile dependencies RingOf rather than owner? (and () Iterated CanonicalHom GCD normalization (e.g. monic) Convert old "task table" into redmine IsStdGraded: add for PPOrdering, () PPWithMask needs checking Example for change of coordinates () HilbertBasis from Normaliz: full-lattice () Generator for random ring elements Documentation for QBGenerator needs () No test for QBGenerator Approx QIR Transcribe C4 code for GCD in QQ[x] Multivariate lifting Move the various <matrix>::mySetEntry () Forward declarations</matrix> | Ideals of polynomials |
| New datastructures directory Convert DUPFF code to C++ Better GCD Design problem in ideals Convenience ring ctors and homs Buchberger-Moeller (parent task) Buchberger-Moeller: fast modular () Buchberger-Moeller: inpl via () Buchberger-Moeller: input conversions Makefile dependencies RingOf rather than owner? (and () Iterated CanonicalHom GCD normalization (e.g. monic) Convert old "task table" into redmine IsStdGraded: add for PPOrdering, () PPWithMask needs checking Example for change of coordinates () HilbertBasis from Normaliz: full-lattice () Generator for random ring elements Documentation for QBGenerator needs () No test for QBGenerator Approx QIR Transcribe C4 code for GCD in QQ[x] Multivariate lifting Move the various <matrix>::mySetEntry () Forward declarations</matrix> | LT over QQ: surprisingly slow |
| Convert DUPFF code to C++ Better GCD Design problem in ideals Convenience ring ctors and homs Buchberger-Moeller (parent task) Buchberger-Moeller: fast modular () Buchberger-Moeller: impl via () Buchberger-Moeller: input conversions Makefile dependencies RingOf rather than owner? (and () Iterated CanonicalHom GCD normalization (e.g. monic) Convert old "task table" into redmine IsStdGraded: add for PPOrdering, () PPWithMask needs checking Example for change of coordinates () HilbertBasis from Normaliz: full-lattice () Generator for random ring elements Documentation for QBGenerator needs () No test for QBGenerator Approx QIR Transcribe C4 code for GCD in QQ[x] Multivariate lifting Move the various <matrix>::mySetEntry () Forward declarations</matrix> | IdealOfPoints with generic coeffs |
| Better GCD Design problem in ideals Convenience ring ctors and homs Buchberger-Moeller (parent task) Buchberger-Moeller: fast modular () Buchberger-Moeller: inpl via () Buchberger-Moeller: input conversions Makefile dependencies RingOf rather than owner? (and () Iterated CanonicalHom GCD normalization (e.g. monic) Convert old "task table" into redmine IsStdGraded: add for PPOrdering, () PPWithMask needs checking Example for change of coordinates () HilbertBasis from Normaliz: full-lattice () Generator for random ring elements Documentation for QBGenerator needs () No test for QBGenerator Approx QIR Transcribe C4 code for GCD in QQ[x] Multivariate lifting Move the various <matrix>::mySetEntry ()</matrix> Forward declarations | New datastructures directory |
| Design problem in ideals Convenience ring ctors and homs Buchberger-Moeller (parent task) Buchberger-Moeller: fast modular () Buchberger-Moeller: input via () Buchberger-Moeller: input conversions Makefile dependencies RingOf rather than owner? (and () Iterated CanonicalHom GCD normalization (e.g. monic) Convert old "task table" into redmine IsStdGraded: add for PPOrdering, () PPWithMask needs checking Example for change of coordinates () HilbertBasis from Normaliz: full-lattice () Generator for random ring elements Documentation for QBGenerator needs () No test for QBGenerator Approx QIR Transcribe C4 code for GCD in QQ[x] Multivariate lifting Move the various <matrix>::mySetEntry () Forward declarations</matrix> | Convert DUPFF code to C++ |
| Convenience ring ctors and homs Buchberger-Moeller (parent task) Buchberger-Moeller: fast modular () Buchberger-Moeller: impl via () Buchberger-Moeller: input conversions Makefile dependencies RingOf rather than owner? (and () Iterated CanonicalHom GCD normalization (e.g. monic) Convert old "task table" into redmine IsStdGraded: add for PPOrdering, () PPWithMask needs checking Example for change of coordinates () HilbertBasis from Normaliz: full-lattice () Generator for random ring elements Documentation for QBGenerator needs () No test for QBGenerator Approx QIR Transcribe C4 code for GCD in QQ[x] Multivariate lifting Move the various <matrix>::mySetEntry () Forward declarations</matrix> | Better GCD |
| Buchberger-Moeller (parent task) Buchberger-Moeller: fast modular () Buchberger-Moeller: impl via () Buchberger-Moeller: input conversions Makefile dependencies RingOf rather than owner? (and () Iterated CanonicalHom GCD normalization (e.g. monic) Convert old "task table" into redmine IsStdGraded: add for PPOrdering, () PPWithMask needs checking Example for change of coordinates () HilbertBasis from Normaliz: full-lattice () Generator for random ring elements Documentation for QBGenerator needs () No test for QBGenerator Approx QIR Transcribe C4 code for GCD in QQ[x] Multivariate lifting Move the various <matrix>::mySetEntry ()</matrix> Forward declarations | Design problem in ideals |
| Buchberger-Moeller (parent task) Buchberger-Moeller: fast modular () Buchberger-Moeller: input conversions Makefile dependencies RingOf rather than owner? (and () Iterated CanonicalHom GCD normalization (e.g. monic) Convert old "task table" into redmine IsStdGraded: add for PPOrdering, () PPWithMask needs checking Example for change of coordinates () HilbertBasis from Normaliz: full-lattice () Generator for random ring elements Documentation for QBGenerator needs () No test for QBGenerator Approx QIR Transcribe C4 code for GCD in QQ[x] Multivariate lifting Move the various <matrix>::mySetEntry ()</matrix> Forward declarations | Convenience ring ctors and homs |
| Buchberger-Moeller: fast modular ()Buchberger-Moeller: impl via ()Buchberger-Moeller: input conversionsMakefile dependenciesRingOf rather than owner? (and ()Iterated CanonicalHomGCD normalization (e.g. monic)Convert old "task table" into redmineIsStdGraded: add for PPOrdering, ()PPWithMask needs checkingExample for change of coordinates ()HilbertBasis from Normaliz: full-lattice ()Generator for random ring elementsDocumentation for QBGenerator needs ()No test for QBGeneratorApprox QIRTranscribe C4 code for GCD in QQ[x]Multivariate liftingMove the various <matrix>::mySetEntry ()Forward declarations</matrix> | - |
| Buchberger-Moeller: impl via () Buchberger-Moeller: input conversions Makefile dependencies RingOf rather than owner? (and () Iterated CanonicalHom GCD normalization (e.g. monic) Convert old "task table" into redmine IsStdGraded: add for PPOrdering, () PPWithMask needs checking Example for change of coordinates () HilbertBasis from Normaliz: full-lattice () Generator for random ring elements Documentation for QBGenerator needs () No test for QBGenerator Approx QIR Transcribe C4 code for GCD in QQ[x] Multivariate lifting Move the various <matrix>::mySetEntry () Forward declarations</matrix> | |
| Buchberger-Moeller: input conversions Makefile dependencies RingOf rather than owner? (and () Iterated CanonicalHom GCD normalization (e.g. monic) Convert old "task table" into redmine IsStdGraded: add for PPOrdering, () PPWithMask needs checking Example for change of coordinates () HilbertBasis from Normaliz: full-lattice () Generator for random ring elements Documentation for QBGenerator needs () No test for QBGenerator Approx QIR Transcribe C4 code for GCD in QQ[x] Multivariate lifting Move the various <matrix>::mySetEntry () Forward declarations</matrix> | |
| Makefile dependencies RingOf rather than owner? (and () Iterated CanonicalHom GCD normalization (e.g. monic) Convert old "task table" into redmine IsStdGraded: add for PPOrdering, () PPWithMask needs checking Example for change of coordinates () HilbertBasis from Normaliz: full-lattice () Generator for random ring elements Documentation for QBGenerator needs () No test for QBGenerator Approx QIR Transcribe C4 code for GCD in QQ[x] Multivariate lifting Move the various <matrix>::mySetEntry () Forward declarations</matrix> | |
| RingOf rather than owner? (and ()Iterated CanonicalHomGCD normalization (e.g. monic)Convert old "task table" into redmineIsStdGraded: add for PPOrdering, ()PPWithMask needs checkingExample for change of coordinates ()HilbertBasis from Normaliz: full-lattice ()Generator for random ring elementsDocumentation for QBGenerator needs ()No test for QBGeneratorApprox QIRTranscribe C4 code for GCD in QQ[x]Multivariate liftingMove the various <matrix>::mySetEntry ()Forward declarations</matrix> | |
| Iterated CanonicalHom GCD normalization (e.g. monic) Convert old "task table" into redmine IsStdGraded: add for PPOrdering, () PPWithMask needs checking Example for change of coordinates () HilbertBasis from Normaliz: full-lattice () Generator for random ring elements Documentation for QBGenerator needs () No test for QBGenerator Approx QIR Transcribe C4 code for GCD in QQ[x] Multivariate lifting Move the various <matrix>::mySetEntry () Forward declarations</matrix> | RingOf rather than owner? (and () |
| Convert old "task table" into redmine IsStdGraded: add for PPOrdering, () PPWithMask needs checking Example for change of coordinates () HilbertBasis from Normaliz: full-lattice () Generator for random ring elements Documentation for QBGenerator needs () No test for QBGenerator Approx QIR Transcribe C4 code for GCD in QQ[x] Multivariate lifting Move the various <matrix>::mySetEntry () Forward declarations</matrix> | |
| Convert old "task table" into redmine IsStdGraded: add for PPOrdering, () PPWithMask needs checking Example for change of coordinates () HilbertBasis from Normaliz: full-lattice () Generator for random ring elements Documentation for QBGenerator needs () No test for QBGenerator Approx QIR Transcribe C4 code for GCD in QQ[x] Multivariate lifting Move the various <matrix>::mySetEntry () Forward declarations</matrix> | GCD normalization (e.g. monic) |
| PPWithMask needs checking Example for change of coordinates () HilbertBasis from Normaliz: full-lattice () Generator for random ring elements Documentation for QBGenerator needs () No test for QBGenerator Approx QIR Transcribe C4 code for GCD in QQ[x] Multivariate lifting Move the various <matrix>::mySetEntry () Forward declarations</matrix> | |
| PPWithMask needs checking Example for change of coordinates () HilbertBasis from Normaliz: full-lattice () Generator for random ring elements Documentation for QBGenerator needs () No test for QBGenerator Approx QIR Transcribe C4 code for GCD in QQ[x] Multivariate lifting Move the various <matrix>::mySetEntry () Forward declarations</matrix> | IsStdGraded: add for PPOrdering, () |
| Example for change of coordinates () HilbertBasis from Normaliz: full-lattice () Generator for random ring elements Documentation for QBGenerator needs () No test for QBGenerator Approx QIR Transcribe C4 code for GCD in QQ[x] Multivariate lifting Move the various <matrix>::mySetEntry () Forward declarations</matrix> | |
| HilbertBasis from Normaliz: full-lattice () Generator for random ring elements Documentation for QBGenerator needs () No test for QBGenerator Approx QIR Transcribe C4 code for GCD in QQ[x] Multivariate lifting Move the various <matrix>::mySetEntry ()</matrix> Forward declarations | - |
| Generator for random ring elements Documentation for QBGenerator needs () No test for QBGenerator Approx QIR Transcribe C4 code for GCD in QQ[x] Multivariate lifting Move the various <matrix>::mySetEntry () Forward declarations</matrix> | |
| Documentation for QBGenerator needs () No test for QBGenerator Approx QIR Transcribe C4 code for GCD in QQ[x] Multivariate lifting Move the various <matrix>::mySetEntry () Forward declarations</matrix> | |
| No test for QBGenerator Approx QIR Transcribe C4 code for GCD in QQ[x] Multivariate lifting Move the various <matrix>::mySetEntry () Forward declarations</matrix> | |
| Approx QIR Transcribe C4 code for GCD in QQ[x] Multivariate lifting Move the various <matrix>::mySetEntry () Forward declarations</matrix> | |
| Transcribe C4 code for GCD in QQ[x] Multivariate lifting Move the various <matrix>::mySetEntry () Forward declarations</matrix> | |
| Multivariate lifting Move the various <matrix>::mySetEntry () Forward declarations</matrix> | |
| Move the various <matrix>::mySetEntry () Forward declarations</matrix> | |
| Forward declarations | - |
| Eliminate class RefPPMonoidElem? | |
| | Eliminate class RefPPMonoidElem? |

| Store unique copy of FF(p) in GlobalManager | |
|---|-------|
| Global setting: to use IsProbPrime () | |
| PrimeField new fn? | |
| Modules design: brainstorming | |
| Compilation on M\$Windows: Visual () | |
| FreeModule: unique copy? | |
| Add doc for ApproxPts2 | |
| submodule constructor different () | |
| C++ nasty surprises | |
| Why is DMPI slower than DMPClean? | |
| Module homs | |
| Missing documentation and tests () | |
| CoCoAServer: what future, what () | |
| Resolution/morse: integrate Mario () | |
| add resolution data type | |
| implement algorithm(s) for resolutions | |
| PPMonoidElemAlias: redesign PPMonoidElem | () |
| add myHilbertSeries member field () | |
| add myJBMill member field to ideal | |
| NewFreeModule of dimension 0 | |
| Minimal syzygies (optimized implementation) | |
| Allow user to give a name to a () | |
| Error names and error messages () | |
| Semantics of IsPrintedWithMinus | |
| Improve UPoly eval at BigRat for () | |
| MemPool: order free blocks? | |
| Polynomial multiplication (product () | |
| Port RealRoots to C++ | |
| Eigenvectors | |
| Which sets of generators in an () | |
| LinearSimplify: port to CoCoALib | |
| Unique copies of rings smart () | |
| Clang: automatic bug finding | |
| Documentation: write doc for RingDenseUPoly | Clean |

| Quick/correct flag for bool3 fns |
|--|
| Fn to "flatten" muliple polynomial () |
| Make squarefreefactor work in multiple () |
| FloatStr uses too much memory |
| Functions to clean up a factorization |
| elim using RingTwinFloat triggers () |
| add myResolution member field () |
| Reconsider overloaded virtual mem () |
| Subrings |
| Temporary file for experimentation |
| FloatApprox for TwinFloat values? |
| Documentation for ReductionCog |
| Allow use of RingElem instead of () |
| Split SparsePolyRing.H into two () |
| Investigate using cmake for configuration |
| New function for printing with () |
| Implement gin (generic initial () |
| Problem with template instantiation () |
| configure: check all libraries () |
| Redesign CRTMill |
| Wikipedia |
| Gaussian integer and rationals () |
| Complex twin-floats |
| Shadow CoCoA namespace to help () |
| What is test-Dynamic1.C |
| Buchberger-Moeller: add option () |
| Unique copies of free modules? |
| Optimized algorithms for implicitization () |
| Laurent polynomials |
| Integrate Janet/Pommaret basis () |
| factor: multivariate + finite characteristic |
| Matrix determinant over multivariate () |
| Credits to CoCoALib contributors |
| Accumulator (like a geobucket) |
| · - · |

| MemPool: make it easier to get () |
|---|
| PPMonoid: add fn to check for overflow () |
| Use DivMask inside QBGenerator |
| myAddMul in poly rings |
| PolyAlgebraHom (PolyRingHom) evaluate () |
| Fault tolerant rational reconstruction: () |
| Remove cruft from test files |
| Add more operations between modules () |
| Example database: Slow ideal equality () |
| Noncommutative algebra "of solvable () |
| Betti numbers, betti diagram |
| Extend homomorphism to polynomial () |
| Addition of sparse (multivariate) () |
| View PP exponent vector (and order () |
| Problem with GBasis in tower of () |
| Investigate using Boost.build instead () |
| configure: have option to say to () |
| GlobalManager: initialization compatible () |
| ExternalLib-CDD: (needed by GFan) |
| CoCoALib cone |
| PPMonoid with 1 extra "exponent"? |
| CRTMill::myAddInfo accept modulus () |
| Makefile: problem not seeing when () |
| GroebnerFan/ExternalLib-GFan: improve () |
| threadsafety: Scott Meyers's advice () |
| finite fields: global register () |
| Remove refcounts from RingElem? |
| No doc for DistrMPolyInIFpPP |
| Clean code for DistrMPolyClean |
| SmallFpImpI: make it faster |
| vector of "indets" in each PPMonoid? |
| PPOrdering: use it to compute WDeg? |
| Alg Extn by non-zero dim ideal |
| FastCmp for degree useful? |
| |

| PPMonoid pseudo-ctor without explicit () GenRepr in CoCoALib? F5 with 3 args? Sparse matrices MachineInt: function for checking () Generalize grading matrix UIBC: need include file in RingWeyI.C Make Mario's new code threadsafe factor is very slow on some simple () Differential algebra SparsePolyIter: make more compatible () GINV: alex basis NewPolyRing: tidy up the many different () PPMonoidSparse: comparisons are () IsIrred: correct design? SmallFpImpl: different repr for () bool3: add some logical operations? factor: too slow on largish multivariate () Impl faster multiplication for () DistrMPolyInIPP::myPushFront and () IsIrred3: fast 3-way irred test () myIsEqual, myCmp: direct comparisons () SmallFpDouble: which impl of InvMod () External libraries: keep copy of () Read input from SymbolicData database New function: quorem for univariate () Hilbert Driven GBasis Design GBMill Fn to read symbol range (SymbolRange) |
|---|
| F5 with 3 args? Sparse matrices Machinelnt: function for checking () Generalize grading matrix UIBC: need include file in RingWeyI.C Make Mario's new code threadsafe factor is very slow on some simple () Differential algebra SparsePolylter: make more compatible () GINV: alex basis NewPolyRing: tidy up the many different () PPMonoidSparse: comparisons are () IsIrred: correct design? SmallFpImpI: different repr for () bool3: add some logical operations? factor: too slow on largish multivariate () Impl faster multiplication for () DistrMPolyInIPP::myPushFront and () IsIrred3: fast 3-way irred test () myIsEqual, myCmp: direct comparisons () SmallFpDouble: which impl of InvMod () External libraries: keep copy of () Read input from SymbolicData database New function: quorem for univariate () Hilbert Driven GBasis Design GBMill Fn to read symbol range (SymbolRange) |
| Sparse matrices Machinelnt: function for checking () Generalize grading matrix UIBC: need include file in RingWeyI.C Make Mario's new code threadsafe factor is very slow on some simple () Differential algebra SparsePolylter: make more compatible () GINV: alex basis NewPolyRing: tidy up the many different () PPMonoidSparse: comparisons are () IsIrred: correct design? SmallFpImpl: different repr for () bool3: add some logical operations? factor: too slow on largish multivariate () Impl faster multiplication for () DistrMPolyInIPP::myPushFront and () IsIrred3: fast 3-way irred test () myIsEqual, myCmp: direct comparisons () SmallFpDouble: which impl of InvMod () External libraries: keep copy of () Read input from SymbolicData database New function: quorem for univariate () Hilbert Driven GBasis Design GBMill Fn to read symbol range (SymbolRange) |
| Machinelnt: function for checking () Generalize grading matrix UIBC: need include file in RingWeyl.C Make Mario's new code threadsafe factor is very slow on some simple () Differential algebra SparsePolyIter: make more compatible () GINV: alex basis NewPolyRing: tidy up the many different () PPMonoidSparse: comparisons are () IsIrred: correct design? SmallFpImpl: different repr for () bool3: add some logical operations? factor: too slow on largish multivariate () Impl faster multiplication for () DistrMPolyInIPP::myPushFront and () IsIrred3: fast 3-way irred test () myIsEqual, myCmp: direct comparisons () SmallFpDouble: which impl of InvMod () External libraries: keep copy of () Read input from SymbolicData database New function: quorem for univariate () Hilbert Driven GBasis Design GBMill Fn to read symbol range (SymbolRange) |
| Generalize grading matrix UIBC: need include file in RingWeyl.C Make Mario's new code threadsafe factor is very slow on some simple () Differential algebra SparsePolyIter: make more compatible () GINV: alex basis NewPolyRing: tidy up the many different () PPMonoidSparse: comparisons are () IsIrred: correct design? SmallFpImpl: different repr for () bool3: add some logical operations? factor: too slow on largish multivariate () Impl faster multiplication for () DistrMPolyInIPP::myPushFront and () IsIrred3: fast 3-way irred test () myIsEqual, myCmp: direct comparisons () SmallFpDouble: which impl of InvMod () External libraries: keep copy of () Read input from SymbolicData database New function: quorem for univariate () Hilbert Driven GBasis Design GBMill Fn to read symbol range (SymbolRange) |
| UIBC: need include file in RingWeyl.C Make Mario's new code threadsafe factor is very slow on some simple () Differential algebra SparsePolylter: make more compatible () GINV: alex basis NewPolyRing: tidy up the many different () PPMonoidSparse: comparisons are () IsIrred: correct design? SmallFplmpl: different repr for () bool3: add some logical operations? factor: too slow on largish multivariate () Impl faster multiplication for () DistrMPolyInIPP::myPushFront and () IsIrred3: fast 3-way irred test () myIsEqual, myCmp: direct comparisons () SmallFpDouble: which impl of InvMod () External libraries: keep copy of () Read input from SymbolicData database New function: quorem for univariate () Hilbert Driven GBasis Design GBMill Fn to read symbol range (SymbolRange) |
| Make Mario's new code threadsafe factor is very slow on some simple () Differential algebra SparsePolylter: make more compatible () GINV: alex basis NewPolyRing: tidy up the many different () PPMonoidSparse: comparisons are () IsIrred: correct design? SmallFpImpl: different repr for () bool3: add some logical operations? factor: too slow on largish multivariate () Impl faster multiplication for () DistrMPolyInIPP::myPushFront and () IsIrred3: fast 3-way irred test () myIsEqual, myCmp: direct comparisons () SmallFpDouble: which impl of InvMod () External libraries: keep copy of () Read input from SymbolicData database New function: quorem for univariate () Hilbert Driven GBasis Design GBMill Fn to read symbol range (SymbolRange) |
| factor is very slow on some simple () Differential algebra SparsePolylter: make more compatible () GINV: alex basis NewPolyRing: tidy up the many different () PPMonoidSparse: comparisons are () Islrred: correct design? SmallFpImpl: different repr for () bool3: add some logical operations? factor: too slow on largish multivariate () Impl faster multiplication for () DistrMPolyInIPP::myPushFront and () Islrred3: fast 3-way irred test () myIsEqual, myCmp: direct comparisons () SmallFpDouble: which impl of InvMod () External libraries: keep copy of () Read input from SymbolicData database New function: quorem for univariate () Hilbert Driven GBasis Design GBMill Fn to read symbol range (SymbolRange) |
| Differential algebra SparsePolylter: make more compatible () GINV: alex basis NewPolyRing: tidy up the many different () PPMonoidSparse: comparisons are () IsIrred: correct design? SmallFpImpl: different repr for () bool3: add some logical operations? factor: too slow on largish multivariate () Impl faster multiplication for () DistrMPolyInIPP::myPushFront and () IsIrred3: fast 3-way irred test () myIsEqual, myCmp: direct comparisons () SmallFpDouble: which impl of InvMod () External libraries: keep copy of () Read input from SymbolicData database New function: quorem for univariate () Hilbert Driven GBasis Design GBMill Fn to read symbol range (SymbolRange) |
| SparsePolylter: make more compatible () GINV: alex basis NewPolyRing: tidy up the many different () PPMonoidSparse: comparisons are () IsIrred: correct design? SmallFpImpl: different repr for () bool3: add some logical operations? factor: too slow on largish multivariate () Impl faster multiplication for () DistrMPolyInIPP::myPushFront and () IsIrred3: fast 3-way irred test () myIsEqual, myCmp: direct comparisons () SmallFpDouble: which impl of InvMod () External libraries: keep copy of () Read input from SymbolicData database New function: quorem for univariate () Hilbert Driven GBasis Design GBMill Fn to read symbol range (SymbolRange) |
| GINV: alex basis NewPolyRing: tidy up the many different () PPMonoidSparse: comparisons are () IsIrred: correct design? SmallFpImpI: different repr for () bool3: add some logical operations? factor: too slow on largish multivariate () Impl faster multiplication for () DistrMPolyInIPP::myPushFront and () IsIrred3: fast 3-way irred test () myIsEqual, myCmp: direct comparisons () SmallFpDouble: which impl of InvMod () External libraries: keep copy of () Read input from SymbolicData database New function: quorem for univariate () Hilbert Driven GBasis Design GBMill Fn to read symbol range (SymbolRange) |
| NewPolyRing: tidy up the many different () PPMonoidSparse: comparisons are () IsIrred: correct design? SmallFpImpl: different repr for () bool3: add some logical operations? factor: too slow on largish multivariate () Impl faster multiplication for () DistrMPolyInIPP::myPushFront and () IsIrred3: fast 3-way irred test () myIsEqual, myCmp: direct comparisons () SmallFpDouble: which impl of InvMod () External libraries: keep copy of () Read input from SymbolicData database New function: quorem for univariate () Hilbert Driven GBasis Design GBMill Fn to read symbol range (SymbolRange) |
| PPMonoidSparse: comparisons are () IsIrred: correct design? SmallFpImpl: different repr for () bool3: add some logical operations? factor: too slow on largish multivariate () Impl faster multiplication for () DistrMPolyInIPP::myPushFront and () IsIrred3: fast 3-way irred test () myIsEqual, myCmp: direct comparisons () SmallFpDouble: which impl of InvMod () External libraries: keep copy of () Read input from SymbolicData database New function: quorem for univariate () Hilbert Driven GBasis Design GBMill Fn to read symbol range (SymbolRange) |
| PPMonoidSparse: comparisons are () IsIrred: correct design? SmallFpImpl: different repr for () bool3: add some logical operations? factor: too slow on largish multivariate () Impl faster multiplication for () DistrMPolyInIPP::myPushFront and () IsIrred3: fast 3-way irred test () myIsEqual, myCmp: direct comparisons () SmallFpDouble: which impl of InvMod () External libraries: keep copy of () Read input from SymbolicData database New function: quorem for univariate () Hilbert Driven GBasis Design GBMill Fn to read symbol range (SymbolRange) |
| SmallFpImpI: different repr for () bool3: add some logical operations? factor: too slow on largish multivariate () Impl faster multiplication for () DistrMPolyInIPP::myPushFront and () IsIrred3: fast 3-way irred test () myIsEqual, myCmp: direct comparisons () SmallFpDouble: which impl of InvMod () External libraries: keep copy of () Read input from SymbolicData database New function: quorem for univariate () Hilbert Driven GBasis Design GBMill Fn to read symbol range (SymbolRange) |
| SmallFpImpl: different repr for () bool3: add some logical operations? factor: too slow on largish multivariate () Impl faster multiplication for () DistrMPolyInIPP::myPushFront and () IsIrred3: fast 3-way irred test () myIsEqual, myCmp: direct comparisons () SmallFpDouble: which impl of InvMod () External libraries: keep copy of () Read input from SymbolicData database New function: quorem for univariate () Hilbert Driven GBasis Design GBMill Fn to read symbol range (SymbolRange) |
| bool3: add some logical operations? factor: too slow on largish multivariate () Impl faster multiplication for () DistrMPolyInIPP::myPushFront and () IsIrred3: fast 3-way irred test () myIsEqual, myCmp: direct comparisons () SmallFpDouble: which impl of InvMod () External libraries: keep copy of () Read input from SymbolicData database New function: quorem for univariate () Hilbert Driven GBasis Design GBMill Fn to read symbol range (SymbolRange) |
| Impl faster multiplication for ()DistrMPolyInIPP::myPushFront and ()IsIrred3: fast 3-way irred test ()myIsEqual, myCmp: direct comparisons ()SmallFpDouble: which impl of InvMod ()External libraries: keep copy of ()Read input from SymbolicData databaseNew function: quorem for univariate ()Hilbert Driven GBasisDesign GBMillFn to read symbol range (SymbolRange) |
| DistrMPolyInIPP::myPushFront and () IsIrred3: fast 3-way irred test () myIsEqual, myCmp: direct comparisons () SmallFpDouble: which impl of InvMod () External libraries: keep copy of () Read input from SymbolicData database New function: quorem for univariate () Hilbert Driven GBasis Design GBMill Fn to read symbol range (SymbolRange) |
| IsIrred3: fast 3-way irred test () myIsEqual, myCmp: direct comparisons () SmallFpDouble: which impl of InvMod () External libraries: keep copy of () Read input from SymbolicData database New function: quorem for univariate () Hilbert Driven GBasis Design GBMill Fn to read symbol range (SymbolRange) |
| myIsEqual, myCmp: direct comparisons () SmallFpDouble: which impl of InvMod () External libraries: keep copy of () Read input from SymbolicData database New function: quorem for univariate () Hilbert Driven GBasis Design GBMill Fn to read symbol range (SymbolRange) |
| myIsEqual, myCmp: direct comparisons () SmallFpDouble: which impl of InvMod () External libraries: keep copy of () Read input from SymbolicData database New function: quorem for univariate () Hilbert Driven GBasis Design GBMill Fn to read symbol range (SymbolRange) |
| SmallFpDouble: which impl of InvMod () External libraries: keep copy of () Read input from SymbolicData database New function: quorem for univariate () Hilbert Driven GBasis Design GBMill Fn to read symbol range (SymbolRange) |
| Read input from SymbolicData database New function: quorem for univariate () Hilbert Driven GBasis Design GBMill Fn to read symbol range (SymbolRange) |
| New function: quorem for univariate () Hilbert Driven GBasis Design GBMill Fn to read symbol range (SymbolRange) |
| Hilbert Driven GBasis Design GBMill Fn to read symbol range (SymbolRange) |
| Design GBMill Fn to read symbol range (SymbolRange) |
| Fn to read symbol range (SymbolRange) |
| |
| |
| Documentation: check layout of () |
| Printing TwinFloat as (rational) () |
| LinDepMill: Mill for linear dependencies |
| Slow NF example |
| Weights in ElimMat? |

| ex-PolyIterator |
|---|
| QIR/RealRootRefine: improve behaviour () |
| GFan: require version newer than () |
| GCD: add special case if args are () |
| Poly ring homomorphism to change () |
| C++11: Mario's Hilbert scheme code |
| GlobalManager: name of object in () |
| RowMat, ColMat with arg an empty () |
| New "LF" function which is based () |
| JanetBasis gives error indet index () |
| GroebnerFan: slow examples |
| Printing ring for ideals (or just () |
| GroebnerFan: ERROR: Matrix must () |
| Slug: MakeTermOrd (rk calls in () |
| invalid pointer in "free" |
| WEB SITE: HTML is not clean! |
| Ctors for exceptions/errors |
| Pseudo-zero-dim ideals |
| Better printing of negative coeffs |
| SqFreeFactor: should it work over () |
| Organize better the documentation () |
| mySquare and myPowerSmallExp |
| New fn: transform ideal with ring () |
| Printing for RingElem |
| Clean up revised RatReconstructByContFrac (|
| Upper bound for value of poly in () |
| Matrix rank is slow (over QQ) |
| Non-standard DegRevLex (NonStdDegRevLex, |
| New function: Threadsafe RandomLinearForm |
| exgcd; solve Bezout equation |
| Make a poly ring QQ[x,y,z] also () |
| Ideal equality |
| Ideal Ops: sort-cuts for trivial () |
| Port old "clever" code for matrix () |
| |

| Improve RealRoots: compute sqfr () | |
|--------------------------------------|--|
| Improve RootBound | |
| All PPs of given wdeg | |
| gcd: low degree but big coeffs () | |
| RandomUnimodularMat is slow with () | |
| French students' example with GFan | |
| Create two separate radical fns () | |
| DynamicBitset::lamAll1s | |
| Unified Gaussian reduction impl | |
| Benchmarks? | |
| C++17: notes about updating | |
| slimgb: Brickenstein, singular | |
| Clean out OLD CODE? | |
| CoCoALib - removed/duplicates | |
| CoCoALib: ideas for student projects | |